



REQUEST FOR QUOTATION (RFQ) No. 765-2024

Procurement Unit

The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the items stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

The TSU hereinafter referred to as "the Buyer", now requests submission of a price quotation for the subject below:

Purchase Request No.	DESCRIPTION/PARTICULARS	APPROVED BUDGET FOR THE CONTRACT (ABC) inclusive of VAT
2024-09-387 (VPA)	AUDIO AND VISUAL EQUIPMENT	386,000.00
<i>Purpose: for University use.</i>		

Philgeps Posting: Active Date: 10/9/24 Closing Date: 10/16/24 Category: AUDIO & VISUAL EQUIP. Reference No.: 11334250

Interested suppliers are required to submit the following documents:

- | | |
|---|--|
| <input checked="" type="checkbox"/> Valid and Current Mayor's / Business Permit | <input type="checkbox"/> Latest Income / Business Tax Return |
| <input checked="" type="checkbox"/> Proof of PhilGeps Registration | <input checked="" type="checkbox"/> Omnibus Sworn Statement |
| | <input type="checkbox"/> Brochure, if applicable |

TSU Condition of Sale:

- Delivery Schedule: 30 calendar days from receipt of approved PO/NTP
- Bid Validity: 120 calendar days from submission of bids
- Delivery Site: Supply and Property Management Unit, Tarlac State University
(045) 606-8159 / (045) 982-2605
- Warranty shall be for a period minimum of three (3) months of expendable supplies, or a supplies/equipment after acceptance by the procuring entity of the delivered

Award of contract shall be made to the bidder with the lowest quotation for the subject goods which comply with the minimum technical specifications and other terms and conditions stated herein.

Any alteration, erasures, or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative.

Submission of duly signed Price Quotation Form (Attachment 1) and eligibility documents is not later than 10/16/24 at the Procurement Unit, Admin Building Tarlac State University, Tarlac City.

Open submission may be done manually or through email at tsucanvassing@gmail.com

The penalty for late deliveries is one tenth (1/10) of one (1) percent of the cost of the underperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten (10%) percent of the contract price, the procuring entity shall rescind the contract without prejudice to other courses of action and remedies open to it.

The TSU reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract in accordance with Section 41 of R.A 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.


ELENA MAY T. TEOFILO
 Head, Procurement Unit

PRICE QUOTATION

Date: 10/4/2024
 RFQ No. 765-2024
 PR No. 2024-09-387 (VPA)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
1	piece	Moving Head Stage Light * Power Supply: AC90--275V,50--60HZ * Power consumption:275W * Light Source: Bulb * Drive Current: 1500mA * Color Temperature:8000k * Beam Angle: 5-15 Degrees * Color Wheel: 14 kind of colors +white(half-color-effect) * Rainbow Wheel: Color rainbow effect with variable speed * Prism1:8-facet circular prism rotating variable speed * Prism2:16-facet circular prism rotating variable speed * Dimmer: 0-100% mechanic dimmer * Control Modes: DMX512 * Strobe: Flash rate0--25HZ * DMX-Control-channels: 16DMX Channels * Frost: Soft lights effect * Tilt: 270° (16bit) * Pan: 540° (16bit) * Dimmer: 0-100% mechanic dimmer * Long Lifespan LEDs (more than 60,000 hours) * Waterproof level: IP20 Indoor * Ambient temperature: -20°C * Cooling System: Box Heat Conduction Shell Material: high temperature resistant plastic * Product Color: Black * Product Size: 29x23x50cm Product Weight: 13.15kg Package Size: 31X25x52cm Package Weight: 20kg *Certificate: CE & ROHS & UL & FCC & EAC & SAA Warranty: Within 1 year. [we are free to repair, provide any accessories; or send new products.] *Plug: To send you to meet the requirements of the plug. EU, US, AU, UK Plug and so on.	6		

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 10/4/2024
 RFQ No. 765-2024
 PR No. 2024-09-387 (VPA)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
2	piece	Stage Light Controller Channels for each fixture 40 primary + 40 fine tune Library Avolite Pearl R20 library supported Re-patched Fixture address YES Swap Pan/Tilt YES Reversed channel output YES Channel slope modification YES Scene 60 Scenes to run simultaneously 10 Scene step 600 Time control of scenes Fade in/out, LTP slope Shapes for each scene 5 Scene and dimmer by slider YES Interlocked scene YES Button controlled scene YES Shape generator Shapes of Dimmer, PAN/TILT, RGB, CMY, Color, Gobo, Iris and focus Shapes to run simultaneously 5 Master slider Global, playback, fixture Real time black out YES Channel value by wheel YES Channel value by slider YES USB MEMORY FAT32 SUPPORTED	1		
3	piece	Condenser Microphone (Pencil Type) (Element) *Fixed-charge back plate, permanently polarized condenser (Polar Pattern) *Cardioid (Frequency Response) *20-20.000 Hz (Low Frequency Roll Off) *80 Hz, 12 dB/octave (Open Circuit Sensitivity)	4		

Warranty : _____
 The above-quoted price is inclusive of all costs and applicable taxes
 Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 10/4/2024
 RFQ No. 765-2024
 PR No. 2024-09-387 (VPA)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		*-36 dB (15.8 mV), re 1V at 1 Pa (Maximum Input Sound Level) * 145 dB SPL, 1 kHz at 1% T.H.D. (Dynamic Range) *121 dB, 1 kHz at Max SPL (Signal-to-Noise Ratio) *70 dB, 1 kHz at 1 Pa (Phantom Power Requirements) * 48V DC, 3.2 mA typical (Weight) * 120g (Dimensions) * 6.28" (159.5 mm) long, 0.83" (21.0 mm) body diameter (Output Connector) * Integral 3-pin XLRM-type			
4	set	WIRELESS MICROPHONES Overall System Operating Frequencies * DE3 Band: 482 - 512 MHz (Number Of Channels) * 2 x 4 frequencies (Frequency Stability) * +/- 0.005%, Phase lock loop frequency control (Modulation Mode) *FM (Frequency Response) * 60 Hz - 16 kHz (Operating Range) * 60m, typical Receiver: Receiving System * Antenna switching diversity (Image Rejection) * 55dB minimum (Dynamic Range) * HH: 108 dB, BP 103 dB (@ max deviation) (Sensitivity) * 10dBµV (S/N 60dB @ 20 kHz deviation)	4		

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____

Printed Name : _____

Date : _____

Company Name Registered : _____

E-mail Address : _____

Contact no. : _____

BANK DETAILS:

Bank Name : _____

Bank Address : _____

Bank Account Name : _____

Bank Account Number : _____

PRICE QUOTATION

Date: 10/4/2024
 RFQ No. 765-2024
 PR No. 2024-09-387 (VPA)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		(Total Harmonic Distortion) * <1% - 20 kHz deviation @ 1 kHz (Audio Output Unbalanced) * -2dBV (Audio Output Balanced) * 4dBV (Output Connectors (Microphone)) * Balanced: XLRM-type (Output Connectors (Instrument)) * Unbalanced: 6.3 mm mono jack (Maximum Output Level) Mic/Line (0/-20dB) (Antenna Input) * BNC type, 50 - BIAS voltage 12V DC 100mA each (Dimensions) 200 mm x 42 mm x 122 mm (W x H x D) (Weight) * 418 g without accessories (Accessories Included) * AC Adapter, Antennas, Rack mount adapter, protective carrying case Handheld Transmitter (Microphone): (RF Power Output) * 10 mW (Spurious Emissions) * Following national regulations (Microphone Element) * Condenser Cardioid (Battery Type) * Two 1.5V AA alkaline (Battery Life) * 10 hours - depending on battery type and use pattern (Dimensions) * 268 mm long - 52 mm (diameter) (Accessories Included) * Stand clamp			
5	piece	Snake Cable * 16 send, 4 returns * Multicore Audio Cable * PVC 22mm, 20x2x0, 22mm * 30 Meters	1		

Warranty _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____
BANK DETAILS:
 Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____



Philippine Government Electronic Procurement

Central Portal for
Philippine Government
Procurement Opportunities

[Help](#)

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 11334250
Procuring Entity TARLAC STATE UNIVERSITY
Title Audio and Visual Equipment
Area of Delivery Tarlac

Solicitation Number: 765-2024	Status	Pending
Trade Agreement: Implementing Rules and Regulations	Associated Components	3
Procurement Mode: Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Bid Supplements	0
Classification: Goods	Document Request List	0
Category: Audio and Visual Equipment	Date Published	09/10/2024
Approved Budget for the Contract: PHP 386,000.00	Last Updated / Time	08/10/2024 10:11 AM
Delivery Period: 30 Day/s	Closing Date / Time	16/10/2024 13:00 PM
Client Agency:		
Contact Person: Tutchie Panlilio Clerk TSU, Romulo Blvd. San Vicente, Tarlac City, Philip Tarlac City Tarlac Philippines 2300 63-045-6068142 tsucanvassing@gmail.com		

Description

for University use.

Line Items

Item No.	Product/Service Name	Description	Quantity	UOM	Budget (PHP)
1	Moving Head Stage Light	Power Supply: AC90--275V,50--60HZ * Power consumption:275W * Light Source: Bulb * Drive Current: 1500mA * Color Temperature:8000k * Beam Angle: 5-15 Degrees * Color Wheel: 14 kind of colors +white(half-color-effect) * Rainbow Wheel: Color rainbow ef	6	Piece	144,000.00
2	Stage Light Controller	Channels for each fixture 40 primary + 40 fine tune Library Avolite Pearl R20 library supported Re-patched Fixture address YES Swop Pan/Tilt YES Reversed channel output YES Channel slope modification YES Scene 60 Scenes to run	1	Piece	24,000.00
3	Condenser Microphone (Pencil Type)	(Element) *Fixed-charge back plate, permanently polarized condenser (Polar Pattern) *Cardioid (Frequency Response) *20-20.000 Hz (Low Frequency Roll Off) *80 Hz, 12 dB/octave (Open Circuit Sensitivity) *-36 dB (15.8 mV), re 1V at 1 Pa (Maximum Input	4	Piece	92,000.00
4	WIRELESS MICROPHONES	Overall System Operating Frequencies) * DE3 Band: 482 - 512 MHz (Number Of Channels) * 2 x 4 frequencies (Frequency Stability) *	4	Set	96,000.00
5	Snake Cable	16 send, 4 returns * Multicore Audio Cable * PVC22mm, 20x2x0, 22mm * 30 Meters	1	Piece	30,000.00

Other Information

The bidders must download the attached documents in the associated component section.

Created by Tutchie Panlilio

Date Created 08/10/2024

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2024 DBM Procurement Service. All rights reserved.

[Help](#) | [Contact Us](#) | [Sitemap](#)