



Republic of the Philippine
TARLAC STATE UNIVERSITY
Romulo Blvd., San Vicente, Tarlac City
Tel. No.: (045) 982 4630
Website: www.tsu.edu.ph



Bidding Documents

(This Bidding Documents is in conformance with the Sixth Edition of the Philippine Bidding Documents for the Procurement of Goods)

For the Project

Supply and Delivery of Hardware Supplies and Materials (APP 2026)

**With an Approved Budget for the Contract (ABC) of
Eleven Million Nine Hundred Ninety-Seven Thousand Eight
Hundred Seventy-Five Pesos (₱ 11,997,875.00)**

**Invitation to Bid No. Goods 2026-009
PhilGEPS Reference No.: 13146661**

**July 2020
6th Edition**

TABLE OF CONTENTS

Glossary of Acronyms, Terms, and Abbreviations	1
Section I. Invitation to Bid	4
Section II. Instructions to Bidders	7
1. Scope of Bid	7
2. Funding Information	7
3. Bidding Requirements	7
4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	7
5. Eligible Bidders	7
6. Origin of Goods	8
7. Subcontracts	8
8. Pre-Bid Conference	8
9. Clarification and Amendment of Bidding Documents	8
10. Documents Comprising the Bid: Eligibility and Technical Components	8
11. Documents Comprising the Bid: Financial Component	8
12. Bid Prices	9
13. Bid and Payment Currencies	9
14. Bid Security	9
15. Sealing and Marking of Bids	9
16. Deadline for Submission of Bids	10
17. Opening and Preliminary Examination of Bids	10
18. Domestic Preference	10
19. Detailed Evaluation and Comparison of Bids	10
20. Post Qualification	11
21. Signing of the Contract	11
Section III. Bid Data Sheet	12
Section IV. General Conditions of Contract	13
1. Scope of Contract	13
2. Advance Payment and Terms of Payment	13
3. Performance Security	13
4. Inspection and Tests	13
5. Warranty	13
6. Liability of the Supplier	14
Section V. Special Conditions of Contract	15
Section VI. Schedule of Requirements	17
Section VII. Technical Specifications	18
Section VIII. Checklist of Technical and Financial Documents	30
Section IX. Bidding Forms	31

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



Republic of the Philippine
TARLAC STATE UNIVERSITY
Romulo Blvd., San Vicente, Tarlac City
Tel. No.: (045) 982 4630
Website: www.tsu.edu.ph



INVITATION TO BID

For the Project

Supply and Delivery of Hardware Supplies and Materials
(APP 2026)

Invitation to Bid No. Goods 2026-007

1. The Tarlac State University, through Special Budget (SB) Fund intends to apply the sum of **Eleven Million Nine Hundred Ninety-Seven Thousand Eight Hundred Seventy-Five Pesos (₱ 11,997,875.00)** to payments under the contracts for the project: **Supply and Delivery of Hardware Supplies and Materials (APP 2026)**.

Bids received in excess of the ABC for shall be automatically rejected at bid opening.

Lot No.	Description	ABC, ₱
1.	Electrical Materials	4,419,200.00
2.	Hardware/Construction Materials	2,501,575.00
3.	Painting Materials	922,570.00
4.	Plumbing Materials	2,755,230.00
5.	Airconditioning Materials	1,013,400.00
6.	Other Tools, Machinery and Equipment	385,900.00

2. The Tarlac State University now invites bids for the project **Supply and Delivery of Hardware Supplies and Materials (APP 2026)**. Delivery of the Goods is required within **Forty-Five (45) calendar days** from the receipt of the Notice to Proceed. Bidders must have completed, within the last five (5) years prior to the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.

3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “pass/fail” criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the “Government Procurement Reform Act”.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

4. Interested bidders may obtain further information from **Tarlac State University** and inspect the Bidding Documents at the address given below during Tuesday to Friday from 7:00 A.M. to 6:00 P.M:

BAC Secretariat
Motorpool and Administration Building
Tarlac State University
Romulo Blvd., San Vicente, Tarlac City
Tel. No. (045) 606-8110, Extension: 142 / 0998 846 0206
Email: tsubacsec2025@gmail.com

5. A complete set of Bidding Documents may be acquired by interested Bidders from **August 5, 2026 to August 25, 2026**, from the aforementioned address upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **₱ 10,000.00**.

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

6. The Tarlac State University will hold a Pre-Bid Conference on **August 13, 2026 (2:00 P.M.)** at the Bids and Awards Committee Conference Room, 3rd Floor, Motorpool and Administration Building, Tarlac State University, Romulo Blvd., San Vicente, Tarlac City, which shall be open to prospective bidders.
7. Three (3) copies of the bid proposals (one original, and additional copy 1 and 2) must be submitted to the BAC which must be duly received by the BAC Secretariat through manual submission at the office address indicated in the bidding documents, on **August 25, 2026 at 1:30 P.M.** Failure of bidders to comply with the said request of additional copies shall not be a ground for disqualification.

Late submission shall not be accepted.

BAC Secretariat
Motorpool and Administration Building
Tarlac State University
Romulo Blvd., San Vicente, Tarlac City
Tel. No. (045) 606-8110, Extension: 142 / 0998 846 0206
Email: bacsec@tsu.edu.ph

8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
9. Bid opening shall be on **August 25, 2026, at 2:00 P.M.**, at the Bids and Awards Committee Conference Room, 3rd Floor, Motorpool and Administration Building, Tarlac State University, Romulo Blvd., San Vicente, Tarlac City. Bids will be opened in the presence of the bidders’ representatives who choose to attend at the address below.
10. The Summary of the procurement activities is as follows:

Activities	Date and Time	Venue
------------	---------------	-------

Posted to PhilGEPS	August 5, 2026	N/A
Pre-Bid Conference	August 13, 2026 (2:00 PM)	BAC Conference Room, 3 rd Floor, Motorpool and Administration Building, Tarlac State University, Romulo Blvd., San Vicente, Tarlac City
Deadline of Submission of Bids	August 25, 2026 (1:30 PM)	
Opening of Bids	August 25, 2026 (2:00 PM)	

11. The Tarlac State University reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 Revised IRR of RA 9184, without thereby incurring any liability to the affected bidder or bidders.

12. For further information, please refer to:

Ms. Mariel C. Santos
 BAC Secretariat
 Motorpool and Administration Building
 Tarlac State University
 Romulo Blvd., San Vicente, Tarlac City
 Tel. No. (045) 606-8110, Extension: 142 / 0998 846 0206
 Email: tsubacsec2025@gmail.com



DR. MARLON V. GAMIDO
 BAC Chairperson

Section II. Instructions to Bidders

1. Scope of Bid

1.1. The Tarlac State University wishes to receive Bids for the project: **Supply and Delivery of Hardware Supplies and Materials (APP 2026)**, with identification number **Invitation to Bid No. Goods 2026-009**.

1.2. The procurement project (referred to herein as “Project”) is composed of 2 lots the details of which are described in Section VII. Technical Specifications.

2. Funding Information

2.1. The GOP through the source of funding as indicated below for **2026** in the amount of **₱ 11,997,875.00**

2.2. The source of funding is the **Special Budget**.

3. Bidding Requirements

3.1. The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

3.2. Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or IB by the BAC through the issuance of a supplemental or bid bulletin.

3.3. The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.

5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder must have a SLCC that is similar to the Project, as described in the **BDS**, with a value, adjusted to current prices using the PSA’s CPI, that is at least equivalent to **fifty percent (50%) of the total ABC of the project**.

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that subcontracting is not allowed

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and at the address indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII. Checklist of Technical and Financial Documents**.

10.2. The Bidder's **SLCC** as indicated in **ITB** Clause 5.3 should have been completed **within five (5) years** prior to the deadline for the submission and receipt of bids.

10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII. Checklist of Technical and Financial Documents**.

11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.

11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.

11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII. Technical Specifications**.

13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in Philippine Pesos.

14. Bid Security

14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

14.2. The Bid and bid security shall be valid until **December 23, 2026**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

15.1. Each Bidder shall submit one copy of the first and second components of its Bid.

15.2. The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

15.3. If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be

digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items are indicated in **Section VII. Technical Specifications**, and the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. **The Project shall be awarded as one project having several items that shall be awarded as separate contracts.**
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.1. Within a **non-extendible period of five (5) calendar days** from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

ITB Clause															
5.3	For this purpose, contracts similar to the Project shall be the supply and delivery of similar goods comprising the Project.														
7.1	No further instructions.														
12	The price of the Goods shall be quoted DDP Tarlac City, Philippines or the applicable International Commercial Terms (INCOTERMS) for this Project.														
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than two percent (2 %) of ABC, if bid security is in cash, cashier’s/manager’s check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than five percent (5 %) of ABC if bid security is in Surety Bond.														
19.3	The ABC for the project <table><tr><td>Lot No.</td><td>ABC, Php</td></tr><tr><td>1.</td><td>4,419,200.00</td></tr><tr><td>2.</td><td>2,501,575.00</td></tr><tr><td>3.</td><td>922,570.00</td></tr><tr><td>4.</td><td>2,755,230.00</td></tr><tr><td>5.</td><td>1,013,400.00</td></tr><tr><td>6.</td><td>385,900.00</td></tr></table>	Lot No.	ABC, Php	1.	4,419,200.00	2.	2,501,575.00	3.	922,570.00	4.	2,755,230.00	5.	1,013,400.00	6.	385,900.00
Lot No.	ABC, Php														
1.	4,419,200.00														
2.	2,501,575.00														
3.	922,570.00														
4.	2,755,230.00														
5.	1,013,400.00														
6.	385,900.00														
20.2	No further requirements.														
21.2	No further requirements.														

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV. Technical Specifications** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the

defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

GCC Clause	
1	Delivery and Documents – For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: The delivery terms applicable to this Contract are delivered to Tarlac State University, Romulo Blvd., San Vicente, Tarlac City. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their destination.” Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI. Schedule of Requirements.
	Packaging – The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit. The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity. The outer packaging must be clearly marked on at least four (4) sides as follows: Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation – Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights – The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
4	The inspections and tests that will be conducted are: visual and sensory inspection and test.

Section VI. Schedule of Requirements

The delivery date for the Goods covered by the Contract shall be within Forty-Five (45) calendar days upon receipt of the Notice to Proceed.

Section VII. Technical Specifications

Item No.	Description
Lot 1 Electrical Materials	
1.	Amco Box, Utility Surface Type 2" x 4", PVC White
2.	Box, Junction 4" x 4", PVC Poly orange
3.	Box, utility 2"x 4", deep type, PVC Poly orange
4.	Bulb LED 23W, daylight
5.	Bulb, CFL 9W, daylight
6.	Bulb, LED 18W, daylight
7.	Butane Gas 250g net wt.
8.	Circuit breaker 30amp (BOT)
9.	Circuit breaker 30amp (PIT)
10.	Circuit breaker 3phase 75A SQ.D (BOT)
11.	Circuit breaker 40amp (BOT)
12.	Circuit breaker 60amp (BOT)
13.	Circuit breaker 60amp (PIT)
14.	Circuit breaker, 100Amp single phase BOT
15.	Circuit Breaker NEMA 3 Enclosure 30amp Weather proof
16.	Circuit Breaker NEMA 3 Enclosure 40amp Weather proof
17.	Circuit Breaker NEMA 3 Enclosure 50amp Weather proof
18.	Circuit breaker, MCB Sassin 20A BOT (replacement for ab, sas & hotel bldg.)
19.	Circuit breaker, MCB Sassin 32Amp BOT (replacement for ab bldg.)
20.	Circuit breaker, MCCB Sassin 3phase 125Amp (BOT) (replacement for ab & ccs bldg.)
21.	Circuit breaker, MCB Schneider 20Amp single phase (BOT) (replacement for sol, cpag, ab, sas, hotel, ccs, cit & cafa bldg.)
22.	Circuit breaker Schneider 30Amp single phase (BOT) (replacement for cpag, ab, sas, hotel, ccs, cit & cafa bldg.)
23.	Circuit breaker Schneider 30Amp single phase (PIT) (replacement for ab, sas, hotel, ccs, cit bldg.)
24.	Circuit breaker Schneider 3phase 225Amp Molded case (BOT) (replacement for ccs & ab bldg.)
25.	Circuit breaker MCCB Schneider 3phase 75Amp SQ.D (BOT) (replacement for ccs & cpag bldg.)
26.	Circuit breaker Schneider 40Amp single phase (BOT) (replacement for sol, motorpool, sas, hotel, cit & cafa bldg.)
27.	Circuit breaker Schneider 50Amp single phase (BOT) (replacement for motorpool & cafa bldg.)
28.	Circuit breaker Schneider 60A (BOT) (replacement for sol, sas & cit bldg.)
29.	Circuit Breaker, MCCB Schneider 100Amp single phase (BOT) (replacement for cass, motorpool, ccs, red & hotel bldg.)
30.	Circuit Breaker, MCCB Schneider 100Amp single phase (PIT) (replacement for cass, ccs, red & hotel bldg.)
31.	Circuit breaker, MCCB Schneider 3phase 200Amp (BOT) (replacement for cfr,ab, sas & motorpool bldg.)
32.	Circuit breaker, MCCB Schneider 3phase 250Amp (BOT) (replacement for cit, cafa, sas, & cass bldg.)
33.	Circuit breaker Square- D 100A (BOT)

34.	Circuit breaker Square- D 125A (BOT)
35.	Circuit breaker Square- D 150A (BOT)
36.	Circuit breaker Square- D 175A (BOT)
37.	Circuit breaker Square- D 225A (BOT)
38.	Circuit breaker Square- D 30A (BOT)
39.	Circuit breaker Square- D 40A (BOT)
40.	Circuit breaker Square- D 60A (BOT)
41.	Circuit breaker w/ universal socket 30A
42.	Electrical Wire Theader Cable Puller, 20meters
43.	Flat cord #16 (black)
44.	Flexible hose,1/2" Ø, orange (100 meters/roll)
45.	Flexible hose,3/4" Ø, orange (100 meters/roll)
46.	LED Round Panel Lights 12Watts (Recessed Mounted) Daylight
47.	LED Round Panel Lights 12Watts (Surface Mounted) Daylight
48.	LED Round Panel Lights 18Watts (Recessed Mounted) Daylight
49.	LED Round Panel Lights 18Watts (Surface Mounted) Daylight
50.	LED Square Panel Lights 12Watts (Surface Mounted) Daylight
51.	LED Square Panel Lights 12Watts (Recessed Mounted) Daylight
52.	LED Square Panel Lights 18Watts (Surface Mounted) Daylight
53.	LED Square Panel Lights 18Watts (Recessed Mounted) Daylight
54.	LED, Flood Lights 200W Water Proof, Daylight
55.	LED, Fluorescent Lamp 10W T8 Daylight
56.	LED, Fluorescent Lamp 14W T8 Daylight
57.	LED, Fluorescent Lamp 18W T8 Daylight
58.	LED, Fluorescent Lamp 28W T8 Daylight
59.	LED Panel Lamp 40 Watts (120x30 cm) Daylight
60.	LED Panel Lamp 40 Watts (60x60 cm) Daylight
61.	LED Emergency Light Twin Head Color White Daylight Specifications: Emergency Power: 6 Watts (2 x 3 Watts) Luminous Flux: 540 - 600 lm (2 x 270 - 300 lm) Color Temperature: 5,500 - 6,500 K / Daylight Light Source: High Brightness SMD LED Chips Dimension: 300 mm x 140 mm x 92 mm Net Weight: 700 g Body Material: Injection-Molded Thermoplastic, ABS housing Body Color: White Battery: Ni-Cd Battery Battery Specification: 3.6 V 800 mAh Battery Protection: Over-Charge and Over-Discharge Protection Battery Life: Up to 120 minutes Test Button: Built-In Test Button Input Voltage: AC 220 V - 265 V Frequency Range: 50 / 60 Hz Mounting: Wall Mounted IP Rating: IP 30, Indoor
62.	Magnetic Contactor with Overload Relay 30A
63.	Molding, PVC 1" x 8', white
64.	Molding, PVC 3/4" x 8', white
65.	Outlet, universal 2 gang, wide series
66.	Outlet, universal for ACU 1 gang
67.	Plug, heavy duty (Electrical Plug)
68.	PVC Pipe Orange 1/2" dia. Thick wall (Electrical conduits and fittings that are made with K65 virgin PVC resin, impact modifiers, and organic based stabilizer to ensure superior durability, quality, and non-toxicity. Toughness properties: 80

	IZOD Impact Joules and 50 MPa that is well beyond the PNS 14: 1983 Standards for PVC electrical conduits.)
69.	PVC Pipe Orange 3/4" dia. Thick wall (Electrical conduits and fittings that are made with K65 virgin PVC resin, impact modifiers, and organic based stabilizer to ensure superior durability, quality, and non-toxicity. Toughness properties: 80 IZOD Impact Joules and 50 MPa that is well beyond the PNS 14: 1983 Standards for PVC electrical conduits.)
70.	PVC Pipe Orange 1" dia. Thick wall (Electrical conduits and fittings that are made with K65 virgin PVC resin, impact modifiers, and organic based stabilizer to ensure superior durability, quality, and non-toxicity. Toughness properties: 80 IZOD Impact Joules and 50 MPa that is well beyond the PNS 14: 1983 Standards for PVC electrical conduits.)
71.	Royal Cord, 14/2 (2 Core x 2.0mm ²), Rated Voltage Temp. 300V/60°C (75meters/roll)
72.	Royal Cord, 12/2 (2 Core x 3.5mm ²), Rated Voltage Temp. 300V/60°C (75meters/roll)
73.	Royal Cord, 12/2 (2 Core x 5.5mm ²), Rated Voltage Temp. 300V/60°C (75meters/roll)
74.	Royal Cord, 10/3 (3 Core x 3.5mm ²), Rated Voltage Temp. 300V/60°C (75meters/roll)
75.	Royal Cord, 10/3 (3 Core x 5.5mm ²), Rated Voltage Temp. 300V/60°C (75meters/roll)
76.	PVC Orange Clamp with concrete nail, 1/2" (100pcs/pack)
77.	PVC Orange Clamp with concrete nail, 3/4" (100pcs/pack)
78.	PVC Orange Male Adapter with Locknut 1/2" (100pcs/pack)
79.	PVC Orange Male Adapter with Locknut 3/4" (100pcs/pack)
80.	Safety breaker 20A (BOT), with plastic housing 3Phase
81.	Safety breaker 30A (BOT), with plastic housing
82.	Safety breaker 30A (BOT), with plastic housing 3Phase
83.	Single Aluminum Stranded Wire, PE insulated 75C, 600 Volts, AWG #6 (500meters/roll)
84.	Solderless Connector 2 bolts 1,000 mcm
85.	Solderless Connector 2 bolts 350 - 500 mcm
86.	Solderless Connector 4/0
87.	Solderring Lead
88.	Switch 2 gang, Wide Series
89.	Switch 3 gang, Wide Series
90.	Switch Photo Control 10A
91.	Tape Electrical (Big)
92.	Tape, rubber
93.	Tox, # 5 w/ screw 100pcs/ box
94.	Wire Stranded, 2.0mm² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 150m /box (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire

	Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test
95.	Wire Stranded, 3.5mm² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 150m /box (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test
96.	Wire Stranded, 5.5mm² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 150m /box (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test
97.	Wire Stranded, 8.0mm² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 150m /box (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test
98.	Wire Stranded, 14mm² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 150m /roll (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for

	emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test
99.	Wire Stranded, 22mm² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 150m /roll (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test
100.	Wire Stranded, 50mm² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 300m /reel (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test
Lot 2 Hardware/Construction Materials	
101.	Bar, Angle 3/16 x 1-1/2"
102.	Bar, Flat 1/4 x 1-1/2"
103.	Blind rivets, silver 1/8 x 3/4"
104.	Blind rivets, silver 5/32 x 3/4"
105.	Blind rivets, black 1/8 x 3/4"
106.	Blind rivets, white 1/8 x 3/4"
107.	Blind rivets, brown 1/8 x 3/4"
108.	Board Acoustic, Fine Fissured 60cm x 60cm x 15mm thk.
109.	Board, Ficem Board 3.5mm x 4' x 8'
110.	Board, Ficem Board 9mm x 4' x 8'
111.	Board, Gypsum 9mm x 4' x 8'
112.	Bolt Dyna 3/8" x 3"
113.	Bolt, Barrel # 6"
114.	CARRYING CHANNEL 12mm x 38mm x 5m x 0.80mmthk.
115.	Cement , Portland

116.	Circular Mitter Saw Blade heavy duty , Ultra Thin for wood , 200mmØ x 60 tooth
117.	Circular Saw Blade heavy duty , Ultra Thin for wood , 185mmØ x 60 tooth
118.	Contact cement (Rugby)
119.	Cut off disc 14" dia. ,355x 2.88mm, (5pcs/pack)
120.	Cutting Disk Masonry heavy duty diamond cutter 8"
121.	Cutting Disk Masonry heavy duty diamond cutter, super thin 4"
122.	Cutting Disk Metal super thin 4" Dia. (100pcs/metal box)
123.	Deformed Steel Bar 10mm Ø x 6m
124.	Deformed Steel Bar Plain 12mm Ø x 6m
125.	Diamond Cup Wheel Heavy Duty For Concrete 4"
126.	Drawer Guide full extension heavy duty soft closed #12" (2pair/set)
127.	Drawer Guide full extension heavy duty soft closed #14" (2pair/set)
128.	Drawer Lock with key heavy duty
129.	Drill Bit, masonry 1/4" heavy duty
130.	Drill bit, masonry 3/16", heavy duty
131.	Drill bit, masonry 1/8", heavy duty
132.	Drill bit, masonry 5/32", heavy duty
133.	Drill Bit, metal 1/4" heavy duty stainless
134.	Drill bit, metal 3/16", heavy duty stainless
135.	Drill bit, metal 1/8", heavy duty stainless
136.	Drill Bit, metal 5/32" heavy duty stainless
137.	G.I C-Purlins 2" x 3" x 1.5mm thk. x 6m
138.	G.I wire #16 (20kg/roll)
139.	Gravel Crush 3/4" 15cu.mtr / Truckload
140.	Grinding stone 4"dia.
141.	Gun Tacker Staple Wire T50-size 3/8
142.	Hacksaw Blade
143.	Heavy Duty Residential Cylindrical lock (Door Knob) Stainless Steel, 3 brass keys included and Exceeds 400,000 cycle test
144.	Hinges, Concealed C1 overlap Hydraulic, heavy duty
145.	Hinges, Concealed C2 overlap Hydraulic, heavy duty
146.	Hinges, Concealed C3 Hydraulic, heavy duty
147.	Hinges, Piano 1" x 10"
148.	Jig Saw Blade
149.	Lumber, 2" x 2" x 12', S4S KILN DRY
150.	Lumber, 2" x 2" x 8' S4S KILN DRY
151.	Magnetic Catches for cabinet, stainless heavy duty
152.	Metal Clamp, Double 3/4" Ø
153.	Metal Furring 19mm x 50mm x 5m x 0.40mmthk.
154.	Nail, common wire 2"
155.	Nail, common wire 3"
156.	Nail, concrete 3"
157.	Nail, finishing 1"
158.	Nail, finishing 2"
159.	Nail,Slim Power concrete 1"
160.	Nail,Slim Power concrete 2"
161.	No More Nails Adhesive 300grams
162.	Oil 2T 1/4 ltr
163.	Oil WD-40 1/4 ltr
164.	Plyboard, 3/4" x 4' x 8'
165.	Plywood, 1/2" x 4' x 8' (Marine)

166.	Plywood, 1/4" x 4' x 8' (Marine)
167.	Plywood, 3/4" x 4' x 8' (Marine)
168.	Round Bar Plain 10mm Ø x 6m
169.	S304 Stainless Cabinet Handle H-type ,4" heavy duty
170.	Sand Paper Disk #100grit 4" dia.
171.	Sand Paper Disk #180grit 4" dia.
172.	Sand Paper Disk #400grit 4" dia.
173.	Sand Paper Waterproof Abrasive #1000grit
174.	Sand Paper Waterproof Abrasive #120grit, 5m/roll
175.	Sand Paper Waterproof Abrasive #180grit
176.	Sand Paper Waterproof Abrasive #400grit
177.	Sand Paper Waterproof Abrasive #600grit
178.	Screw Black for metal 1 1/2" (500pcs/box)
179.	Screw Black for metal 1" (900pcs/box)
180.	Screw Black for wood 1" (900pcs/box)
181.	Screw Black for wood 1 1/2" (500pcs/box)
182.	Silicon Sealant Clear
183.	Silicon Sealant White
184.	Silicon Sealant Black
185.	Straight Brad Gun Nails For Electric Nail Gun F20-20mm(5000pcs/box)
186.	Straight Brad Gun Nails For Electric Nail Gun F50-50mm(5000pcs/box)
187.	Table Saw Blade heavy duty , Ultra Thin for wood , 254mm Ø x 60 tooth
188.	Tape, Flashing 2" X 10 mtrs
189.	Tekscrew 1-1/2" for metal (450pcs/box)
190.	Tubular G.I, 2" x 4" x1.5mm thk x 6m
191.	Tubular G.I, 2" x 3" x1.5mm thk x 6m
192.	Tubular G.I, 2" x 2" x1.5mm thk x 6m
193.	Tubular G.I, 1" x 2" x1.5mm thk x 6m
194.	Tubular G.I, 1" x 1" x1.5mm thk x 6m
195.	Vibro Sand 15cu.mtr / Truckload
196.	Vibro Sand (25kg/bag)
197.	WALL ANGLE 25mm x 25mm x 3m x 0.40mmthk.
198.	W- Clip
199.	Welded Wire 1/4thk. X 2" x 2"
200.	Wood edging, 1/4" x 1" x 8'
201.	Wood glue
Lot 3 Painting Materials	
202.	Acri-color, Thalo Blue
203.	Acri-color, Thalo Green
204.	Acri-color, Toluidine Red
205.	Acrylic Latex Paint, UC-1 Flat White (primer +Top Coat in 1)
206.	Acrylic Skimcoat SK-3, 5kg/gallon
207.	Acrylic Thinner
208.	Acrytex Primer B-1705
209.	Acrytex Reducer B-1750
210.	Adjustable plastic Roller handle
211.	Automotive 2K PolyUrethane Thinner P-7000 (4Liters/gal)
212.	Automotive Lacquer White B-1300
213.	Baby roller cloth with handle 4"
214.	Baby roller foam with handle 4"
215.	Brush paint, 3", yellow handle
216.	Brush, Paint, 1", yellow handle

217.	Brush, Paint, 2", yellow handle
218.	Brush, Paint, 4", yellow handle
219.	Caution Tape (Non-Adhesive) 2inch x 50m
220.	Epoxy Primer Gray with Catalyst (B-2200)
221.	Epoxy Primer White with Catalyst (B-2200)
222.	Fiber MeshTape Mesh for paint 50mm x 30M
223.	Flexor (5kg) NEGATIVE SIDE CEMENTITIOUS Waterproofing
224.	Lacquer Flo B-1205
225.	Lacquer Primer Surfacer White B-305
226.	Lacquer Spot Putty B-306
227.	Lacquer Thinner B-50
228.	MEGACRYL FLAT LATEX Paint , 500 White (Water Based - 100% Acrylic)
229.	Mortaflex Cementitious Waterproof Membrane 16L/tin
230.	Mortaflex Cementitious Waterproof Membrane 4L/gal
231.	Paint Roller, with handle (Cloth) 7"
232.	Paint Thinner B-0340
233.	Paint, odorless self-priming and waterproofing low sheen elastomeric paint (Tulle white SR-021)
234.	Paint, Permacoat Gloss Latex White B710
235.	Paint, Permacoat Semi Gloss Latex White B-715
236.	Paint: Rubberized Floor Red
237.	Paint: Rubberized Reducer
238.	Painters Tape 1"
239.	Patching compound 20kl per bag
240.	Plastic Paint Tray
241.	Polyurethane Floor Varnish Topcoat / Sealer with Catalyst 4liter/gallon
242.	PUTTY MASTER (Joint Filler & Plaster Putty for Fiber Cement Board, Gypsum, Wood and Concrete)
243.	Rubberized Liquid asphalt waterproofing, 4L/gallon
244.	Skimcoat Superfine White MD-SK1, 20KG/Bag
245.	Tinting Color Lamp Black 1/4 ltr./pc
246.	Tinting Color Raw Shiena 1/4 ltr./pc
247.	Tinting Color Thalo Blue 1/4 ltr./pc
248.	Tinting Color Thalo Green 1/4 ltr./pc
249.	Tinting Color Toluidine red 1/4 ltr./pc
Lot 4 Plumbing Materials	
250.	All Purpose Epoxy A & B 1/4 pint
251.	Angle Valve S304 Stainless One way 1/2 x 1/2
252.	Angle Valve S304 Stainless Two way 1/2 x 1/2 x 1/2 (double control valve)
253.	Automatic Pump Control SPECIFICATION: Rated voltage: 220-240V~50/60Hz Frequency: 50/60Hz Staring pressure: 1.5bar Maximum current: 10A Max power: 1100W Maximum working pressure: 10bar Piping diameter: 1"x1"
254.	304SUS Stainless Single Lever Lavatory Faucet Deck Mount
255.	Ball Valve 1" Brass
256.	Ball Valve 1/2" Brass

257.	Ball Valve 3/4" Brass
258.	Bidet Spray Gun S304 Stainless Steel Heavy Duty
259.	Bidet Spray Gun Set, S304 Stainless Steel Heavy Duty with 150cm Hose and Holder
260.	Capacitor for Motor Pump 1HP
261.	Capacitor for Motor Pump 2HP
262.	Check valve 1" Spring Type (brass)
263.	Check valve 1" Swing Type (brass)
264.	Clamp, PVC Blue 1" with Concrete nail (100pcs / pack)
265.	Clamp, PVC Blue 1/2" with Concrete nail (50pcs/pack)
266.	Faucet, brass, heavy duty 1/2" Hose bibb
267.	Faucet, Heavy Duty Goose Neck S304 Stainless
268.	Fill Valve
269.	Fittings, for Water Closet lever type Heavy Duty
270.	Fittings, for water closet Push Button type Double
271.	Fittings, for water closet Push Button type Single
272.	Flexible hose 1/2" x 1/2" x 18" heavy duty stainless with nut locker
273.	Flexible hose 1/2" x 1/2" x 20" heavy duty stainless with nut locker
274.	Flexible hose 1/2" x 1/2" x 24" heavy duty stainless with nut locker
275.	Flexible P-Trap 1-1/2"
276.	Floater Switch, 3 meters
277.	Gate valve 1", PPR
278.	Gate valve 1/2" PPR
279.	Gate valve 3/4" PPR
280.	PPR Ball Valve 1"
281.	PPR Ball Valve 1/2"
282.	PPR Ball Valve 3/4"
283.	PPR Cap 1"
284.	PPR Cap 1/2"
285.	PPR Cap 3/4"
286.	PPR Coupling 1"
287.	PPR Coupling 1/2"
288.	PPR Coupling 1-1/4"
289.	PPR Coupling 3/4"
290.	PPR Coupling Reducer 1' -1/4 x 1/2"
291.	PPR Coupling Reducer 1' -1/4 x 3/4"
292.	PPR Coupling Reducer 1' x 1/2"
293.	PPR Coupling Reducer 1' x 1-1/4"
294.	PPR Coupling Reducer 1' x 3/4"
295.	PPR Coupling Reducer 3/4 x 1/2"
296.	PPR Elbow 1"
297.	PPR Elbow 1/2"
298.	PPR Elbow 1-1/4"
299.	PPR Elbow 3/4"
300.	PPR Elbow 3/4" x 45 deg.
301.	PPR Elbow Reducer 1" x 1/2"
302.	PPR Elbow Reducer 1" x 3/4"
303.	PPR Elbow Reducer 3/4" x 1/2"
304.	PPR Elbow with thread 1" Female
305.	PPR Elbow with thread 1" Male
306.	PPR Elbow with thread 1/2" Female
307.	PPR Elbow with thread 1/2" Male

308.	PPR Elbow with thread 1-1/4" Female
309.	PPR Elbow with thread 1-1/4" Male
310.	PPR Elbow with thread 3/4" Female
311.	PPR Elbow with thread 3/4" Male
312.	PPR Female Adaptor 1"
313.	PPR Female Adaptor 1/2"
314.	PPR Female Adaptor 1-1/4"
315.	PPR Female Adaptor 3/4"
316.	PPR Gate Valve 1-1/4"
317.	PPR Male Adaptor 1"
318.	PPR Male Adaptor 1/2" Male
319.	PPR Male Adaptor 1/2" Female
320.	PPR Male Adaptor 1-1/4" Male
321.	PPR Male Adaptor 1-1/4" Female
322.	PPR Male Adaptor 3/4" Female
323.	PPR Male Adaptor 3/4" Male
324.	PPR Pipe 1" x 4mtrs (PN20)
325.	PPR Pipe 1" x 50mtrs/roll (PN20)
326.	PPR Pipe 1/2" x 100mtrs/roll (PN20)
327.	PPR Pipe 1/2" x 4mtrs (PN20)
328.	PPR Pipe 1-1/4" x 4mtrs (PN20)
329.	PPR Pipe 3/4" x 100mtrs/roll (PN20)
330.	PPR Pipe 3/4" x 4mtrs (PN20)
331.	PPR Plug 1/2"
332.	PPR Tee 1"
333.	PPR Tee 1/2"
334.	PPR Tee 1-1/4"
335.	PPR Tee 3/4"
336.	PPR Tee Reducer 1" x 1/2"
337.	PPR Tee Reducer 3/4" x 1/2"
338.	PPR Tee with thread 1/2" Female
339.	PPR Tee with thread 1/2" Male
340.	PPR Union Pantentee 1"
341.	PPR Union Pantentee 1/2"
342.	PPR Union Pantentee 3/4"
343.	Pressure Gauge 100psi
344.	Pressure Switch Square D, Heavy Duty
345.	P-Trap 1-1/4" Stainless
346.	PVC Sanitary Pipe 2" Ø Series 1000
347.	PVC Sanitary Pipe 3" Ø Series 1000
348.	PVC Sanitary Pipe 4" Ø Series 1000
349.	Elastomeric Roofing Sealant
350.	PVC PIPE cement, 400cc
351.	Tape, Teflon 1"
352.	Tape, Teflon 1/2"
353.	Tape, Teflon 3/4"
354.	Watercloset two piece, Close Coupled 665x380x760mm, Soft close seat cover with Complete fittings and accessories
355.	Water closet handle lever type Heavy Duty/ Metal
356.	Water Float Valve, stainless 1"
357.	Water Float Valve, stainless 1-1/4"
358.	Waterproofing Sealant for all surfaces, Elastoseal High Grade, 250ml/pack

359.	Waterstop Wet and Dry sealant, 200ml (A & B)
Lot 5 Airconditioning Materials	
360.	ACU Access Valve
361.	ACU Thermostat
362.	Copper Tube 1/2" 50ft/roll
363.	Copper Tube 1/4" 50ft/roll
364.	Copper Tube 3/8" 50ft/roll
365.	Copper Tube 5/8" 50ft/roll
366.	Dual Capacitor 40+7 uF
367.	Dual Capacitor 50+7 uF
368.	Dual Capacitor 65+7 uF
369.	Gas, Map PRO (14.10Z399.7G)
370.	Gauge Manifold for ACU Inverter type heavy Duty
371.	Magnetic Contactor 3Phase 40A
372.	Magnetic Contactor Furnas 30A
373.	Map Gas Torch
374.	Motor Compressor 41 LRA
375.	Motor Compressor 49 LRA
376.	Motor Compressor 51 LRA
377.	Motor Compressor 63 LRA
378.	Polyethylene Tape 4" x 45m for ACU
379.	Refrigerant 134-A, (13.6 kls/tank) Refrigerator
380.	Refrigerant R22 , (13.6 kls/tank) Non Inverter type ACU
381.	Refrigerant R32, (13.6 kls/tank) FOR SPLIT TYPE acu inveter
382.	Refrigerant R410-A , (13.6 kls/tank) for Inverter type ACU
383.	Rubber Insulation 1/2" x 3/8" dia.
384.	Rubber Insulation 1/4" x 3/8" dia.
385.	Rubber Insulation 3/8" x 3/8" dia.
386.	Rubber Insulation 5/8" x 3/8" dia.
387.	Silver Rod
388.	Single Capacitor 5 Uf
389.	Single Capacitor 65 Uf
390.	Single Capacitor 7.5 Uf
Lot 6 Other Tools, Machinery and Equipment	
391.	Dligital Capacitance Meter
392.	Digital Clamp Meter 6000counts Specifications: AC Current 60A/600A/1000A 2 0 +6 AC Voltage 60mV/600mV/6V/60V/600V 0 8 +3 750V 1 + DC Voltage 60mV/600mV/6V/60V/600V 0 7 +3 1000V 0 8 + Resistance 600O/6kO/60kO/600kO/6MO 0 8 +3 60MO 1 2 + Capacitance 10nF/100nF/1000nF/10 F/100 F/ 1000 F/10mF/100mF 4 0 + Frequency 0 10KHz

	1 5 + Data Hold, Display Backlight, Flash Light
393.	Ridgid Fiberglass Industrial A-type Ladder, 6 steps (orange,300lbs. capacity)
394.	Stainless Self-Priming Water Jet Pump 2.0HP Motor Specification: • C&U Bearing • Motor with copper winding • Built-In terminal protector for single phase motor • Insulation Class B • Protection Class :IP44 Pump • Cast Iron Body • Brass impeller • Aisi 304 Shaft
395.	VACUUM Pump 1.5hp, heavy Duty
396.	V-Belt or Fan Belt 17 x 1250 Li

Section VIII. Bid Documents Checklist

This Bid Documents Checklist is provided to guide the Bidder in preparing his/her bid. The checklist may be used by the Bidder to verify if the Bid includes all the prescribed documents.

The Bidder, in submitting the required documents, must use the prescribed forms found in Section X. Bidding Forms. However, should a bidder choose to use a different formatting style for a required document, the bidder must ensure that the substance in the form given in Section X for that particular document is substantially captured in the equivalent document.

I. TECHNICAL COMPONENT ENVELOPE

Class “A” Documents

Legal Documents

- ☐ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

- ☐ (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and
- ☐ (c) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
- ☐ (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission or Original copy of Notarized Bid Securing Declaration; and
- ☐ (e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; and
- ☐ (f) Original duly signed Omnibus Sworn Statement (OSS) and if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- ☐ (g) The prospective bidder’s computation of Net Financial Contracting Capacity (NFCC) or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class “B” Documents

- ☐ (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- ☐ (i) Original of duly signed and accomplished Financial Bid Form; and
- ☐ (j) Original of duly signed and accomplished Price Schedule(s).

Section IX. Bidding Forms

TABLE OF CONTENTS

A. Eligibility and Technical Documents	
b. Statement of all on-going government and private contracts, including contracts awarded but not yet started, if any	25
c. Statement of Single Largest Completed Contract (SLCC), similar to the contract to be bid, in accordance with ITB Clause 5.3	26
d. Bid Securing Declaration or Bid Security, in the form, amount and validity period, as prescribed in ITB Clause 14.1	27
e. Bidder’s Compliance to the Technical Specifications	28
f. Omnibus Sworn Statement, which shall be duly notarized	31
g. NFCC Computation	33
B. Financial Documents	
i. Financial Bid Form	34
j. Schedule of Prices	36

[*Bidder's Letterhead*]

[*Date*]

To: Tarlac State University
Re: Invitation to Bid No.

List of All Ongoing Government and Private Contracts, Including Contracts Awarded But Not Yet Started

Row 1: Name of Contract Row 2: Location of Project Row 3: Contract Price	Row 1: Procuring Entity Row 2: Contact Person/Address Row 3: Telephone No.	Description of Goods	Row 1: Date of Award Row 2: Date Started Row 3: Contract Duration	Value of Outstanding Goods

Attached herewith are the following documents: Notice of Award, Notice to Proceed, and Official Receipts/Invoices, as evidences in support of the foregoing information.

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[*Signature*]
[*Name of Bidder or Authorized Representative*]
[*Position or Title*]

[*Bidder's Letterhead*]

[*Date*]

To: Tarlac State University
Re: Invitation to Bid No.

Statement of Single Largest Completed Contract Similar to the Contract to be Bid

Row 1: Name of Contract Row 2: Location	Contract Price	Row 1: Procuring Entity Row 2: Address Row 3: Contact Person/Tel. No.	Description of Goods	Date of Award	Date Completed

Attached herewith are the following documents: Contract Agreement, Notice of Award, Notice to Proceed, Official Receipt/Invoice, Certificate of Final Inspection, and Certificate of Acceptance, as evidences in support of the foregoing information.

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[*Signature*]
[*Name of Bidder or Authorized Representative*]
[*Position or Title*]

BID SECURING DECLARATION

REPUBLIC OF THE PHILIPPINES)

CITY OF _____) S.S.

Project Invitation to Bid No.: *[Insert number]*

To: Tarlac State University

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of *[month]* *[year]* at *[place of execution]*.

*[Insert NAME OF BIDDER OR ITS
AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant*

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

[Bidder’s Letterhead]

[Date]

To: Tarlac State University
Re: Invitation to Bid No.

Compliance to the Technical Specifications

Item No.	Description	Bidder’s Compliance State “Comply” below if your offer is complying with the specifications, otherwise state “We are offering the same goods with the following specifications [State the complete specifications of the alternative offer]
Lot 1 Electrical Materials		
1.	Amco Box, Utility Surface Type 2" x 4", PVC White	
2.	Box, Junction 4" x 4", PVC Poly orange	
3.	Box, utility 2"x 4", deep type, PVC Poly orange	
4.	Bulb LED 23W, daylight	
5.	Bulb, CFL 9W, daylight	
6.	Bulb, LED 18W, daylight	
7.	Butane Gas 250g net wt.	
8.	Circuit breaker 30amp (BOT)	
9.	Circuit breaker 30amp (PIT)	
10.	Circuit breaker 3phase 75A SQ.D (BOT)	
11.	Circuit breaker 40amp (BOT)	
12.	Circuit breaker 60amp (BOT)	
13.	Circuit breaker 60amp (PIT)	
14.	Circuit breaker, 100Amp single phase BOT	
15.	Circuit Breaker NEMA 3 Enclosure 30amp Weather proof	
16.	Circuit Breaker NEMA 3 Enclosure 40amp Weather proof	
17.	Circuit Breaker NEMA 3 Enclosure 50amp Weather proof	
18.	Circuit breaker, MCB Sassin 20A BOT (replacement for ab, sas & hotel bldg.)	
19.	Circuit breaker, MCB Sassin 32Amp BOT (replacement for ab bldg.)	
20.	Circuit breaker, MCCB Sassin 3phase 125Amp (BOT) (replacement for ab & ccs bldg.)	
21.	Circuit breaker, MCB Schneider 20Amp single phase (BOT) (replacement for sol, cpag, ab, sas, hotel, ccs, cit & cafa bldg.)	
22.	Circuit breaker Schneider 30Amp single phase (BOT) (replacement for cpag, ab, sas, hotel, ccs, cit & cafa bldg.)	
23.	Circuit breaker Schneider 30Amp single phase (PIT) (replacement for ab, sas, hotel, ccs, cit bldg.)	
24.	Circuit breaker Schneider 3phase 225Amp Molded case (BOT) (replacement for ccs & ab bldg.)	
25.	Circuit breaker MCCB Schneider 3phase 75Amp SQ.D (BOT) (replacement for ccs & cpag bldg.)	
26.	Circuit breaker Schneider 40Amp single phase (BOT) (replacement for sol, motorpool, sas, hotel, cit & cafa bldg.)	

27.	Circuit breaker Schneider 50Amp single phase (BOT) (replacement for motorpool & cafa bldg.)	
28.	Circuit breaker Schneider 60A (BOT) (replacement for sol, sas & cit bldg.)	
29.	Circuit Breaker, MCCB Schneider 100Amp single phase (BOT) (replacement for cass, motorpool, ccs, red & hotel bldg.)	
30.	Circuit Breaker, MCCB Schneider 100Amp single phase (PIT) (replacement for cass, ccs, red & hotel bldg.)	
31.	Circuit breaker, MCCB Schneider 3phase 200Amp (BOT) (replacement for cfr,ab, sas & motorpool bldg.)	
32.	Circuit breaker, MCCB Schneider 3phase 250Amp (BOT) (replacement for cit, cafa, sas, & cass bldg.)	
33.	Circuit breaker Square- D 100A (BOT)	
34.	Circuit breaker Square- D 125A (BOT)	
35.	Circuit breaker Square- D 150A (BOT)	
36.	Circuit breaker Square- D 175A (BOT)	
37.	Circuit breaker Square- D 225A (BOT)	
38.	Circuit breaker Square- D 30A (BOT)	
39.	Circuit breaker Square- D 40A (BOT)	
40.	Circuit breaker Square- D 60A (BOT)	
41.	Circuit breaker w/ universal socket 30A	
42.	Electrical Wire Theader Cable Puller, 20meters	
43.	Flat cord #16 (black)	
44.	Flexible hose,1/2" Ø, orange (100 meters/roll)	
45.	Flexible hose,3/4" Ø, orange (100 meters/roll)	
46.	LED Round Panel Lights 12Watts (Recessed Mounted) Daylight	
47.	LED Round Panel Lights 12Watts (Surface Mounted) Daylight	
48.	LED Round Panel Lights 18Watts (Recessed Mounted) Daylight	
49.	LED Round Panel Lights 18Watts (Surface Mounted) Daylight	
50.	LED Square Panel Lights 12Watts (Surface Mounted) Daylight	
51.	LED Square Panel Lights 12Watts (Recessed Mounted) Daylight	
52.	LED Square Panel Lights 18Watts (Surface Mounted) Daylight	
53.	LED Square Panel Lights 18Watts (Recessed Mounted) Daylight	
54.	LED, Flood Lights 200W Water Proof, Daylight	
55.	LED, Fluorescent Lamp 10W T8 Daylight	
56.	LED, Fluorescent Lamp 14W T8 Daylight	
57.	LED, Fluorescent Lamp 18W T8 Daylight	
58.	LED, Fluorescent Lamp 28W T8 Daylight	
59.	LED Panel Lamp 40 Watts (120x30 cm) Daylight	
60.	LED Panel Lamp 40 Watts (60x60 cm) Daylight	
61.	LED Emergency Light Twin Head Color White Daylight Specifications: Emergency Power: 6 Watts (2 x 3 Watts) Luminous Flux: 540 - 600 lm (2 x 270 - 300 lm) Color Temperature: 5,500 - 6,500 K / Daylight Light Source: High Brightness SMD LED Chips Dimension: 300 mm x 140 mm x 92 mm Net Weight: 700 g Body Material: Injection-Molded Thermoplastic, ABS housing Body Color: White Battery: Ni-Cd Battery Battery Specification: 3.6 V 800 mAh Battery Protection: Over-Charge and Over-Discharge Protection Battery Life: Up to 120 minutes Test Button: Built-In Test Button Input Voltage: AC 220 V - 265 V Frequency Range: 50 / 60 Hz Mounting: Wall Mounted IP Rating: IP 30, Indoor	

62.	Magnetic Contactor with Overload Relay 30A	
63.	Molding, PVC 1" x 8', white	
64.	Molding, PVC 3/4" x 8', white	
65.	Outlet, universal 2 gang, wide series	
66.	Outlet, universal for ACU 1 gang	
67.	Plug, heavy duty (Electrical Plug)	
68.	PVC Pipe Orange 1/2" dia. Thick wall (Electrical conduits and fittings that are made with K65 virgin PVC resin, impact modifiers, and organic based stabilizer to ensure superior durability, quality, and non-toxicity. Toughness properties: 80 IZOD Impact Joules and 50 MPa that is well beyond the PNS 14: 1983 Standards for PVC electrical conduits.)	
69.	PVC Pipe Orange 3/4" dia. Thick wall (Electrical conduits and fittings that are made with K65 virgin PVC resin, impact modifiers, and organic based stabilizer to ensure superior durability, quality, and non-toxicity. Toughness properties: 80 IZOD Impact Joules and 50 MPa that is well beyond the PNS 14: 1983 Standards for PVC electrical conduits.)	
70.	PVC Pipe Orange 1" dia. Thick wall (Electrical conduits and fittings that are made with K65 virgin PVC resin, impact modifiers, and organic based stabilizer to ensure superior durability, quality, and non-toxicity. Toughness properties: 80 IZOD Impact Joules and 50 MPa that is well beyond the PNS 14: 1983 Standards for PVC electrical conduits.)	
71.	Royal Cord, 14/2 (2 Core x 2.0mm ²), Rated Voltage Temp. 300V/60°C (75meters/roll)	
72.	Royal Cord, 12/2 (2 Core x 3.5mm ²), Rated Voltage Temp. 300V/60°C (75meters/roll)	
73.	Royal Cord, 12/2 (2 Core x 5.5mm ²), Rated Voltage Temp. 300V/60°C (75meters/roll)	
74.	Royal Cord, 10/3 (3 Core x 3.5mm ²), Rated Voltage Temp. 300V/60°C (75meters/roll)	
75.	Royal Cord, 10/3 (3 Core x 5.5mm ²), Rated Voltage Temp. 300V/60°C (75meters/roll)	
76.	PVC Orange Clamp with concrete nail, 1/2" (100pcs/pack)	
77.	PVC Orange Clamp with concrete nail, 3/4" (100pcs/pack)	
78.	PVC Orange Male Adapter with Locknut 1/2" (100pcs/pack)	
79.	PVC Orange Male Adapter with Locknut 3/4" (100pcs/pack)	
80.	Safety breaker 20A (BOT), with plastic housing 3Phase	
81.	Safety breaker 30A (BOT), with plastic housing	
82.	Safety breaker 30A (BOT), with plastic housing 3Phase	
83.	Single Aluminum Stranded Wire, PE insulated 75C, 600 Volts, AWG #6 (500meters/roll)	
84.	Solderless Connector 2 bolts 1,000 mcm	
85.	Solderless Connector 2 bolts 350 - 500 mcm	
86.	Solderless Connector 4/0	
87.	Solderring Lead	
88.	Switch 2 gang, Wide Series	
89.	Switch 3 gang, Wide Series	
90.	Switch Photo Control 10A	
91.	Tape Electrical (Big)	
92.	Tape, rubber	
93.	Tox, # 5 w/ screw 100pcs/ box	
94.	Wire Stranded, 2.0mm ² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 150m /box (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location,	

	130C for emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test	
95.	Wire Stranded, 3.5mm² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 150m /box (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test	
96.	Wire Stranded, 5.5mm² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 150m /box (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test	
97.	Wire Stranded, 8.0mm² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 150m /box (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test	
98.	Wire Stranded, 14mm² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 150m /roll (Thermoplastic insulated, sheathed with	

	Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test	
99.	Wire Stranded, 22mm² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 150m /roll (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test	
100.	Wire Stranded, 50mm² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 300m /reel (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test	
Lot 2 Hardware/Construction Materials		
101.	Bar, Angle 3/16 x 1-1/2"	
102.	Bar, Flat 1/4 x 1-1/2"	
103.	Blind rivets, silver 1/8 x 3/4"	
104.	Blind rivets, silver 5/32 x 3/4"	
105.	Blind rivets, black 1/8 x 3/4"	
106.	Blind rivets, white 1/8 x 3/4"	
107.	Blind rivets, brown 1/8 x 3/4"	
108.	Board Acoustic, Fine Fissured 60cm x 60cm x 15mm thk.	
109.	Board, Ficem Board 3.5mm x 4' x 8'	

110.	Board, Ficem Board 9mm x 4' x 8'	
111.	Board, Gypsum 9mm x 4' x 8'	
112.	Bolt Dyna 3/8" x 3"	
113.	Bolt, Barrel # 6"	
114.	CARRYING CHANNEL 12mm x 38mm x 5m x 0.80mmthk.	
115.	Cement , Portland	
116.	Circular Mitter Saw Blade heavy duty , Ultra Thin for wood , 200mmØ x 60 tooth	
117.	Circular Saw Blade heavy duty , Ultra Thin for wood , 185mmØ x 60 tooth	
118.	Contact cement (Rugby)	
119.	Cut off disc 14" dia. ,355x 2.88mm, (5pcs/pack)	
120.	Cutting Disk Masonry heavy duty diamond cutter 8"	
121.	Cutting Disk Masonry heavy duty diamond cutter, super thin 4"	
122.	Cutting Disk Metal super thin 4" Dia. (100pcs/metal box)	
123.	Deformed Steel Bar 10mm Ø x 6m	
124.	Deformed Steel Bar Plain 12mm Ø x 6m	
125.	Diamond Cup Wheel Heavy Duty For Concrete 4"	
126.	Drawer Guide full extension heavy duty soft closed #12" (2pair/set)	
127.	Drawer Guide full extension heavy duty soft closed #14" (2pair/set)	
128.	Drawer Lock with key heavy duty	
129.	Drill Bit, masonry 1/4" heavy duty	
130.	Drill bit, masonry 3/16", heavy duty	
131.	Drill bit, masonry 1/8", heavy duty	
132.	Drill bit, masonry 5/32", heavy duty	
133.	Drill Bit, metal 1/4" heavy duty stainless	
134.	Drill bit, metal 3/16", heavy duty stainless	
135.	Drill bit, metal 1/8", heavy duty stainless	
136.	Drill Bit, metal 5/32" heavy duty stainless	
137.	G.I C-Purlins 2" x 3" x 1.5mm thk. x 6m	
138.	G.I wire #16 (20kg/roll)	
139.	Gravel Crush 3/4" 15cu.mtr / Truckload	
140.	Grinding stone 4"dia.	
141.	Gun Tacker Staple Wire T50-size 3/8	
142.	Hacksaw Blade	
143.	Heavy Duty Residential Cylindrical lock (Door Knob) Stainless Steel, 3 brass keys included and Exceeds 400,000 cycle test	
144.	Hinges, Concealed C1 overlap Hydraulic, heavy duty	
145.	Hinges, Concealed C2 overlap Hydraulic, heavy duty	
146.	Hinges, Concealed C3 Hydraulic, heavy duty	
147.	Hinges, Piano 1" x 10"	
148.	Jig Saw Blade	
149.	Lumber, 2" x 2" x 12', S4S KILN DRY	
150.	Lumber, 2" x 2" x 8' S4S KILN DRY	
151.	Magnetic Catches for cabinet, stainless heavy duty	
152.	Metal Clamp, Double 3/4" Ø	
153.	Metal Furring 19mm x 50mm x 5m x 0.40mmthk.	
154.	Nail, common wire 2"	
155.	Nail, common wire 3"	
156.	Nail, concrete 3"	
157.	Nail, finishing 1"	
158.	Nail, finishing 2"	
159.	Nail,Slim Power concrete 1"	
160.	Nail,Slim Power concrete 2"	
161.	No More Nails Adhesive 300grams	

162.	Oil 2T 1/4 ltr	
163.	Oil WD-40 1/4 ltr	
164.	Plyboard, 3/4" x 4' x 8'	
165.	Plywood, 1/2" x 4' x 8' (Marine)	
166.	Plywood, 1/4" x 4' x 8' (Marine)	
167.	Plywood, 3/4" x 4' x 8' (Marine)	
168.	Round Bar Plain 10mm Ø x 6m	
169.	S304 Stainless Cabinet Handle H-type ,4" heavy duty	
170.	Sand Paper Disk #100grit 4" dia.	
171.	Sand Paper Disk #180grit 4" dia.	
172.	Sand Paper Disk #400grit 4" dia.	
173.	Sand Paper Waterproof Abrasive #1000grit	
174.	Sand Paper Waterproof Abrasive #120grit, 5m/roll	
175.	Sand Paper Waterproof Abrasive #180grit	
176.	Sand Paper Waterproof Abrasive #400grit	
177.	Sand Paper Waterproof Abrasive #600grit	
178.	Screw Black for metal 1 1/2" (500pcs/box)	
179.	Screw Black for metal 1" (900pcs/box)	
180.	Screw Black for wood 1" (900pcs/box)	
181.	Screw Black for wood 1 1/2" (500pcs/box)	
182.	Silicon Sealant Clear	
183.	Silicon Sealant White	
184.	Silicon Sealant Black	
185.	Straight Brad Gun Nails For Electric Nail Gun F20-20mm(5000pcs/box)	
186.	Straight Brad Gun Nails For Electric Nail Gun F50-50mm(5000pcs/box)	
187.	Table Saw Blade heavy duty , Ultra Thin for wood , 254mm Ø x 60 tooth	
188.	Tape, Flashing 2" X 10 mtrs	
189.	Tekscrew 1-1/2" for metal (450pcs/box)	
190.	Tubular G.I, 2" x 4" x1.5mm thk x 6m	
191.	Tubular G.I, 2" x 3" x1.5mm thk x 6m	
192.	Tubular G.I, 2" x 2" x1.5mm thk x 6m	
193.	Tubular G.I, 1" x 2" x1.5mm thk x 6m	
194.	Tubular G.I, 1" x 1" x1.5mm thk x 6m	
195.	Vibro Sand 15cu.mtr / Truckload	
196.	Vibro Sand (25kg/bag)	
197.	WALL ANGLE 25mm x 25mm x 3m x 0.40mmthk.	
198.	W- Clip	
199.	Welded Wire 1/4thk. X 2" x 2"	
200.	Wood edging, 1/4" x 1" x 8'	
201.	Wood glue	
Lot 3 Painting Materials		
202.	Acri-color, Thalo Blue	
203.	Acri-color, Thalo Green	
204.	Acri-color, Toluidine Red	
205.	Acrylic Latex Paint, UC-1 Flat White (primer +Top Coat in 1)	
206.	Acrylic Skimcoat SK-3, 5kg/gallon	
207.	Acrylic Thinner	
208.	Acrytex Primer B-1705	
209.	Acrytex Reducer B-1750	
210.	Adjustable plastic Roller handle	
211.	Automotive 2K PolyUrethane Thinner P-7000 (4Liters/gal)	
212.	Automotive Lacquer White B-1300	
213.	Baby roller cloth with handle 4"	
214.	Baby roller foam with handle 4"	

215.	Brush paint, 3", yellow handle	
216.	Brush, Paint, 1", yellow handle	
217.	Brush, Paint, 2", yellow handle	
218.	Brush, Paint, 4", yellow handle	
219.	Caution Tape (Non-Adhesive) 2inch x 50m	
220.	Epoxy Primer Gray with Catalyst (B-2200)	
221.	Epoxy Primer White with Catalyst (B-2200)	
222.	Fiber MeshTape Mesh for paint 50mm x 30M	
223.	Flexor (5kg) NEGATIVE SIDE CEMENTITIOUS Waterproofing	
224.	Lacquer Flo B-1205	
225.	Lacquer Primer Surfacer White B-305	
226.	Lacquer Spot Putty B-306	
227.	Lacquer Thinner B-50	
228.	MEGACRYL FLAT LATEX Paint , 500 White (Water Based - 100% Acrylic)	
229.	Mortaflex Cementitious Waterproof Membrane 16L/tin	
230.	Mortaflex Cementitious Waterproof Membrane 4L/gal	
231.	Paint Roller, with handle (Cloth) 7"	
232.	Paint Thinner B-0340	
233.	Paint, odorless self-priming and waterproofing low sheen elastomeric paint (Tulle white SR-021)	
234.	Paint, Permacoat Gloss Latex White B710	
235.	Paint, Permacoat Semi Gloss Latex White B-715	
236.	Paint: Rubberized Floor Red	
237.	Paint: Rubberized Reducer	
238.	Painters Tape 1"	
239.	Patching compound 20kl per bag	
240.	Plastic Paint Tray	
241.	Polyurethane Floor Varnish Topcoat / Sealer with Catalyst 4liter/gallon	
242.	PUTTY MASTER (Joint Filler & Plaster Putty for Fiber Cement Board, Gypsum, Wood and Concrete)	
243.	Rubberized Liquid asphalt waterproofing, 4L/gallon	
244.	Skimcoat Superfine White MD-SK1, 20KG/Bag	
245.	Tinting Color Lamp Black 1/4 ltr./pc	
246.	Tinting Color Raw Shiena 1/4 ltr./pc	
247.	Tinting Color Thalo Blue 1/4 ltr./pc	
248.	Tinting Color Thalo Green 1/4 ltr./pc	
249.	Tinting Color Toluidine red 1/4 ltr./pc	
Lot 4 Plumbing Materials		
250.	All Purpose Epoxy A & B 1/4 pint	
251.	Angle Valve S304 Stainless One way 1/2 x 1/2	
252.	Angle Valve S304 Stainless Two way 1/2 x 1/2 x 1/2 (double control valve)	
253.	Automatic Pump Control SPECIFICATION: Rated voltage: 220-240V~50/60Hz Frequency: 50/60Hz Staring pressure: 1.5bar Maximum current: 10A Max power: 1100W Maximum working pressure: 10bar Piping diameter: 1"x1"	
254.	304SUS Stainless Single Lever Lavatory Faucet Deck Mount	
255.	Ball Valve 1" Brass	
256.	Ball Valve 1/2" Brass	
257.	Ball Valve 3/4" Brass	

258.	Bidet Spray Gun S304 Stainless Steel Heavy Duty	
259.	Bidet Spray Gun Set, S304 Stainless Steel Heavy Duty with 150cm Hose and Holder	
260.	Capacitor for Motor Pump 1HP	
261.	Capacitor for Motor Pump 2HP	
262.	Check valve 1" Spring Type (brass)	
263.	Check valve 1" Swing Type (brass)	
264.	Clamp, PVC Blue 1" with Concrete nail (100pcs / pack)	
265.	Clamp, PVC Blue 1/2" with Concrete nail (50pcs/pack)	
266.	Faucet, brass, heavy duty 1/2" Hose bibb	
267.	Faucet, Heavy Duty Goose Neck S304 Stainless	
268.	Fill Valve	
269.	Fittings, for Water Closet lever type Heavy Duty	
270.	Fittings, for water closet Push Button type Double	
271.	Fittings, for water closet Push Button type Single	
272.	Flexible hose 1/2" x 1/2" x 18" heavy duty stainless with nut locker	
273.	Flexible hose 1/2" x 1/2" x 20" heavy duty stainless with nut locker	
274.	Flexible hose 1/2" x 1/2" x 24" heavy duty stainless with nut locker	
275.	Flexible P-Trap 1-1/2"	
276.	Floater Switch, 3 meters	
277.	Gate valve 1", PPR	
278.	Gate valve 1/2" PPR	
279.	Gate valve 3/4" PPR	
280.	PPR Ball Valve 1"	
281.	PPR Ball Valve 1/2"	
282.	PPR Ball Valve 3/4"	
283.	PPR Cap 1"	
284.	PPR Cap 1/2"	
285.	PPR Cap 3/4"	
286.	PPR Coupling 1"	
287.	PPR Coupling 1/2"	
288.	PPR Coupling 1-1/4"	
289.	PPR Coupling 3/4"	
290.	PPR Coupling Reducer 1' -1/4 x 1/2"	
291.	PPR Coupling Reducer 1' -1/4 x 3/4"	
292.	PPR Coupling Reducer 1' x 1/2"	
293.	PPR Coupling Reducer 1' x 1-1/4"	
294.	PPR Coupling Reducer 1' x 3/4"	
295.	PPR Coupling Reducer 3/4 x 1/2"	
296.	PPR Elbow 1"	
297.	PPR Elbow 1/2"	
298.	PPR Elbow 1-1/4"	
299.	PPR Elbow 3/4"	
300.	PPR Elbow 3/4" x 45 deg.	
301.	PPR Elbow Reducer 1" x 1/2"	
302.	PPR Elbow Reducer 1" x 3/4"	
303.	PPR Elbow Reducer 3/4" x 1/2"	
304.	PPR Elbow with thread 1" Female	
305.	PPR Elbow with thread 1" Male	
306.	PPR Elbow with thread 1/2" Female	
307.	PPR Elbow with thread 1/2" Male	
308.	PPR Elbow with thread 1-1/4" Female	
309.	PPR Elbow with thread 1-1/4" Male	
310.	PPR Elbow with thread 3/4" Female	
311.	PPR Elbow with thread 3/4" Male	
312.	PPR Female Adaptor 1"	

313.	PPR Female Adaptor 1/2"	
314.	PPR Female Adaptor 1-1/4"	
315.	PPR Female Adaptor 3/4"	
316.	PPR Gate Valve 1-1/4"	
317.	PPR Male Adaptor 1"	
318.	PPR Male Adaptor 1/2" Male	
319.	PPR Male Adaptor 1/2" Female	
320.	PPR Male Adaptor 1-1/4" Male	
321.	PPR Male Adaptor 1-1/4" Female	
322.	PPR Male Adaptor 3/4" Female	
323.	PPR Male Adaptor 3/4" Male	
324.	PPR Pipe 1" x 4mtrs (PN20)	
325.	PPR Pipe 1" x 50mtrs/roll (PN20)	
326.	PPR Pipe 1/2" x 100mtrs/roll (PN20)	
327.	PPR Pipe 1/2" x 4mtrs (PN20)	
328.	PPR Pipe 1-1/4" x 4mtrs (PN20)	
329.	PPR Pipe 3/4" x 100mtrs/roll (PN20)	
330.	PPR Pipe 3/4" x 4mtrs (PN20)	
331.	PPR Plug 1/2"	
332.	PPR Tee 1"	
333.	PPR Tee 1/2"	
334.	PPR Tee 1-1/4"	
335.	PPR Tee 3/4"	
336.	PPR Tee Reducer 1" x 1/2"	
337.	PPR Tee Reducer 3/4" x 1/2"	
338.	PPR Tee with thread 1/2" Female	
339.	PPR Tee with thread 1/2" Male	
340.	PPR Union Pantentee 1"	
341.	PPR Union Pantentee 1/2"	
342.	PPR Union Pantentee 3/4"	
343.	Pressure Gauge 100psi	
344.	Pressure Switch Square D, Heavy Duty	
345.	P-Trap 1-1/4" Stainless	
346.	PVC Sanitary Pipe 2" Ø Series 1000	
347.	PVC Sanitary Pipe 3" Ø Series 1000	
348.	PVC Sanitary Pipe 4" Ø Series 1000	
349.	Elastomeric Roofing Sealant	
350.	PVC PIPE cement, 400cc	
351.	Tape, Teflon 1"	
352.	Tape, Teflon 1/2"	
353.	Tape, Teflon 3/4"	
354.	Watercloset two piece, Close Coupled 665x380x760mm, Soft close seat cover with Complete fittings and accessories	
355.	Water closet handle lever type Heavy Duty/ Metal	
356.	Water Float Valve, stainless 1"	
357.	Water Float Valve, stainless 1-1/4"	
358.	Waterproofing Sealant for all surfaces, Elastoseal High Grade, 250ml/pack	
359.	Waterstop Wet and Dry sealant, 200ml (A & B)	
Lot 5 Airconditioning Materials		
360.	ACU Access Valve	
361.	ACU Thermostat	
362.	Copper Tube 1/2" 50ft/roll	
363.	Copper Tube 1/4" 50ft/roll	
364.	Copper Tube 3/8" 50ft/roll	
365.	Copper Tube 5/8" 50ft/roll	
366.	Dual Capacitor 40+7 uF	

367.	Dual Capacitor 50+7 uF	
368.	Dual Capacitor 65+7 uF	
369.	Gas, Map PRO (14.10Z399.7G)	
370.	Gauge Manifold for ACU Inverter type heavy Duty	
371.	Magnetic Contactor 3Phase 40A	
372.	Magnetic Contactor Furnas 30A	
373.	Map Gas Torch	
374.	Motor Compressor 41 LRA	
375.	Motor Compressor 49 LRA	
376.	Motor Compressor 51 LRA	
377.	Motor Compressor 63 LRA	
378.	Polyethylene Tape 4" x 45m for ACU	
379.	Refrigerant 134-A, (13.6 kls/tank) Refrigerator	
380.	Refrigerant R22 , (13.6 kls/tank) Non Inverter type ACU	
381.	Refrigerant R32, (13.6 kls/tank) FOR SPLIT TYPE acu inveter	
382.	Refrigerant R410-A , (13.6 kls/tank) for Inverter type ACU	
383.	Rubber Insulation 1/2" x 3/8" dia.	
384.	Rubber Insulation 1/4" x 3/8" dia.	
385.	Rubber Insulation 3/8" x 3/8" dia.	
386.	Rubber Insulation 5/8" x 3/8" dia.	
387.	Silver Rod	
388.	Single Capacitor 5 Uf	
389.	Single Capacitor 65 Uf	
390.	Single Capacitor 7.5 Uf	
Lot 6 Other Tools, Machinery and Equipment		
391.	Dligital Capacitance Meter	
392.	Digital Clamp Meter 6000counts Specifications: AC Current 60A/600A/1000A 2 0 +6 AC Voltage 60mV/600mV/6V/60V/600V 0 8 +3 750V 1 + DC Voltage 60mV/600mV/6V/60V/600V 0 7 +3 1000V 0 8 + Resistance 600O/6kO/60kO/600kO/6MO 0 8 +3 60MO 1 2 + Capacitance 10nF/100nF/1000nF/10 F/100 F/ 1000 F/10mF/100mF 4 0 + Frequency 0 10KHz 1 5 + Data Hold, Display Backlight, Flash Light	
393.	Ridgid Fiberglass Industrial A-type Ladder, 6 steps (orange,300lbs. capacity)	
394.	Stainless Self-Priming Water Jet Pump 2.0HP Motor Specification: • C&U Bearing • Motor with copper winding • Built-In terminal protector for single phase motor • Insulation Class B • Protection Class :IP44 Pump • Cast Iron Body	

	• Brass impeller • Aisi 304 Shaft	
395.	VACUUM Pump 1.5hp, heavy Duty	
396.	V-Belt or Fan Belt 17 x 1250 Li	

Note: Bidders must state in the Statement of Compliance either “**Comply**” or “**Not Comply**” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provision of **ITB** Clause 4.

Attached herewith are the manufacturer’s product literature(s) and certification(s) that we are authorized to sell the goods.

We certify that the foregoing information and the supporting documents are true and correct.

[Signature]

[Name of Authorized Signatory]

[Position/Title of Authorized Signatory]

Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, *[Name of Affiant]*, of legal age, *[Civil Status]*, *[Nationality]*, and residing at *[Address of Affiant]*, after having been duly sworn in accordance with law, do hereby depose and state that:

1. **Select one, delete the other:**

- b. *If a sole proprietorship:* I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[address of Bidder]*;
- c. *If a partnership, corporation, cooperative, or joint venture:* I am the duly authorized and designated representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

2. **Select one, delete the other:**

- a. *If a sole proprietorship:* As the owner and sole proprietor, or authorized representative of *[Name of Bidder]*, I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Name of the Project]* of the *[Name of the Procuring Entity]*, as shown in the attached duly notarized *Special Power of Attorney*;
 - b. *If a partnership, corporation, cooperative, or joint venture:* I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Name of the Project]* of the *[Name of the Procuring Entity]*, as shown in the attached *[state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)]*;
3. *[Name of Bidder]* is not “blacklisted” or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
5. *[Name of Bidder]* is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
6. **Select one, delete the rest:**
- a. *If a sole proprietorship:* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- b. *If a partnership or cooperative:* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;
 - c. *If a corporation or joint venture:* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;
7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the following responsibilities as a Bidder:
 - a. Carefully examine all of the Bidding Documents;
 - b. Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Made an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquire or secure Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. In case advance payment was made or given, failure to perform or deliver any of obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to delivery certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this ____ day of ____, 20__ at _____, Philippines.

Bidder's Representative/Authorized Signatory

SUBSCRIBED AND SWORN to before me this ____ day of *[month]* *[year]* at *[place of execution]*, Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her *[insert type of government identification card used]*, with his/her photograph and signature appearing thereon, with no. _____ and his/her Community Tax Certificate No. _____ issued on ____ at _____.

Witness my hand and seal this ____ day of *[month]* *[year]*.

NAME OF NOTARY PUBLIC

Serial No. of Commission _____

Notary Public for _____ until _____

Roll of Attorneys No. _____

PTR No. _____ *[date issued]*, *[place issued]*

IBP No. _____ *[date issued]*, *[place issued]*

Doc. No. _____

[Bidder’s Letterhead]

[Date]

To: Tarlac State University
Re: Invitation to Bid No.

NET FINANCIAL CONTRACTING CAPACITY

Based on our Income Tax Return and Audited Financial Statement for the Fiscal Year [YEAR], duly submitted to the Bureau of Internal Revenue, and which form part of our Bid, the summary of our firm’s financial condition is as given below:

		Year [YEAR]
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	

Based on the aforementioned data and the Value of Outstanding Works from the Statement of All Ongoing Government and Private Contracts, which also form part of our Bid, our Net Financial Contracting Capacity (NFCC) is:

NFCC = [(current asset minus current liabilities) (**15**)] minus [value of all outstanding or uncompleted portions of the projects under ongoing contracts including awarded contracts yet to be started coinciding with the contract to be bid].

NFCC =

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[Signature]
[Name of Bidder or Authorized Representative]
[Position or Title]

[Bidder’s Letterhead]

[Date]

FINANCIAL BID FORM

To: Tarlac State University
Re: Invitation to Bid No.

Date : _____

Project Invitation to Bid No. : _____

To: Tarlac State University

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *[description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Purpose
	Currency Commission or gratuity

[(if none, state “None”)]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

[Bidder’s Letterhead]

[Date]

To: Tarlac State University
Re: Invitation to Bid No.

SCHEDULE OF PRICES

Item No.	Description	Qty.	Unit	Unit Price	Total Price
Lot 1 Electrical Materials					
1.	Amco Box, Utility Surface Type 2" x 4", PVC White	300	set		
2.	Box, Junction 4" x 4", PVC Poly orange	50	pc		
3.	Box, utility 2"x 4", deep type, PVC Poly orange	50	pc.		
4.	Bulb LED 23W, daylight	75	pc.		
5.	Bulb, CFL 9W, daylight	200	pc		
6.	Bulb, LED 18W, daylight	150	pc.		
7.	Butane Gas 250g net wt.	50	Can		
8.	Circuit breaker 30amp (BOT)	10	set		
9.	Circuit breaker 30amp (PIT)	90	set		
10.	Circuit breaker 3phase 75A SQ.D (BOT)	5	set		
11.	Circuit breaker 40amp (BOT)	10	set		
12.	Circuit breaker 60amp (BOT)	16	set		
13.	Circuit breaker 60amp (PIT)	15	pc		
14.	Circuit breaker, 100Amp single phase BOT	15	set		
15.	Circuit Breaker NEMA 3 Enclosure 30amp Weather proof	12	set		
16.	Circuit Breaker NEMA 3 Enclosure 40amp Weather proof	11	set		
17.	Circuit Breaker NEMA 3 Enclosure 50amp Weather proof	5	set		
18.	Circuit breaker, MCB Sassin 20A BOT (replacement for ab, sas & hotel bldg.)	40	set		
19.	Circuit breaker, MCB Sassin 32Amp BOT (replacement for ab bldg.)	40	set		
20.	Circuit breaker, MCCB Sassin 3phase 125Amp (BOT) (replacement for ab & ccs bldg.)	3	pc		
21.	Circuit breaker, MCB Schneider 20Amp single phase (BOT) (replacement for sol, cpag, ab, sas, hotel, ccs, cit & cafa bldg.)	30	set		
22.	Circuit breaker Schneider 30Amp single phase (BOT) (replacement for cpag, ab, sas, hotel, ccs, cit & cafa bldg.)	30	set		

23.	Circuit breaker Schneider 30Amp single phase (PIT) (replacement for ab, sas, hotel, ccs, cit bldg.)	30	set		
24.	Circuit breaker Schneider 3phase 225Amp Molded case (BOT) (replacement for ccs & ab bldg.)	3	set		
25.	Circuit breaker MCCB Schneider 3phase 75Amp SQ.D (BOT) (replacement for ccs & cpag bldg.)	3	set		
26.	Circuit breaker Schneider 40Amp single phase (BOT) (replacement for sol, motorpool, sas, hotel, cit & cafa bldg.)	10	set		
27.	Circuit breaker Schneider 50Amp single phase (BOT) (replacement for motorpool & cafa bldg.)	5	set		
28.	Circuit breaker Schneider 60A (BOT) (replacement for sol, sas & cit bldg.)	5	set		
29.	Circuit Breaker, MCCB Schneider 100Amp single phase (BOT) (replacement for cass, motorpool, ccs, red & hotel bldg.)	5	set		
30.	Circuit Breaker, MCCB Schneider 100Amp single phase (PIT) (replacement for cass, ccs, red & hotel bldg.)	5	set		
31.	Circuit breaker, MCCB Schneider 3phase 200Amp (BOT) (replacement for cfr,ab, sas & motorpool bldg.)	5	set		
32.	Circuit breaker, MCCB Schneider 3phase 250Amp (BOT) (replacement for cit, cafa, sas, & cass bldg.)	5	set		
33.	Circuit breaker Square- D 100A (BOT)	5	set		
34.	Circuit breaker Square- D 125A (BOT)	10	set		
35.	Circuit breaker Square- D 150A (BOT)	5	set		
36.	Circuit breaker Square- D 175A (BOT)	5	set		
37.	Circuit breaker Square- D 225A (BOT)	5	set		
38.	Circuit breaker Square- D 30A (BOT)	20	set		
39.	Circuit breaker Square- D 40A (BOT)	5	set		
40.	Circuit breaker Square- D 60A (BOT)	5	set		
41.	Circuit breaker w/ universal socket 30A	200	set		
42.	Electrical Wire Theader Cable Puller, 20meters	6	set		
43.	Flat cord #16 (black)	10	roll		
44.	Flexible hose,1/2" Ø, orange (100 meters/roll)	10	roll		
45.	Flexible hose,3/4" Ø, orange (100 meters/roll)	5	roll		
46.	LED Round Panel Lights 12Watts (Recessed Mounted) Daylight	150	pc		
47.	LED Round Panel Lights 12Watts (Surface Mounted) Daylight	150	pc		
48.	LED Round Panel Lights 18Watts (Recessed Mounted) Daylight	150	pc		
49.	LED Round Panel Lights 18Watts (Surface Mounted) Daylight	150	pc		
50.	LED Square Panel Lights 12Watts (Surface Mounted) Daylight	150	pc		
51.	LED Square Panel Lights 12Watts (Recessed Mounted) Daylight	150	pc		

52.	LED Square Panel Lights 18Watts (Surface Mounted) Daylight	150	pc		
53.	LED Square Panel Lights 18Watts (Recessed Mounted) Daylight	150	pc		
54.	LED, Flood Lights 200W Water Proof, Daylight	20	set		
55.	LED, Fluorescent Lamp 10W T8 Daylight	150	set		
56.	LED, Fluorescent Lamp 14W T8 Daylight	150	set		
57.	LED, Fluorescent Lamp 18W T8 Daylight	150	set		
58.	LED, Fluorescent Lamp 28W T8 Daylight	150	set		
59.	LED Panel Lamp 40 Watts (120x30 cm) Daylight	20	pc		
60.	LED Panel Lamp 40 Watts (60x60 cm) Daylight	20	pc		
61.	LED Emergency Light Twin Head Color White Daylight Specifications: Emergency Power: 6 Watts (2 x 3 Watts) Luminous Flux: 540 - 600 lm (2 x 270 - 300 lm) Color Temperature: 5,500 - 6,500 K / Daylight Light Source: High Brightness SMD LED Chips Dimension: 300 mm x 140 mm x 92 mm Net Weight: 700 g Body Material: Injection-Molded Thermoplastic, ABS housing Body Color: White Battery: Ni-Cd Battery Battery Specification: 3.6 V 800 mAh Battery Protection: Over-Charge and Over-Discharge Protection Battery Life: Up to 120 minutes Test Button: Built-In Test Button Input Voltage: AC 220 V - 265 V Frequency Range: 50 / 60 Hz Mounting: Wall Mounted IP Rating: IP 30, Indoor	100	pc		
62.	Magnetic Contactor with Overload Relay 30A	5	set		
63.	Molding, PVC 1" x 8', white	200	pcs		
64.	Molding, PVC 3/4" x 8', white	200	pc.		
65.	Outlet, universal 2 gang, wide series	300	set		
66.	Outlet, universal for ACU 1 gang	30	set		
67.	Plug, heavy duty (Electrical Plug)	30	pcs		
68.	PVC Pipe Orange 1/2" dia. Thick wall (Electrical conduits and fittings that are made with K65 virgin PVC resin, impact modifiers, and organic based stabilizer to ensure superior durability, quality, and non-toxicity. Toughness properties: 80 IZOD Impact Joules and 50 MPa that is well beyond the PNS 14: 1983 Standards for PVC electrical conduits.)	200	pcs		
69.	PVC Pipe Orange 3/4" dia. Thick wall (Electrical conduits and fittings that are made with K65 virgin PVC resin, impact modifiers, and organic based stabilizer to ensure superior durability, quality, and non-toxicity. Toughness properties: 80 IZOD Impact Joules and 50 MPa that is well beyond the PNS 14: 1983 Standards for PVC electrical conduits.)	200	pcs		
70.	PVC Pipe Orange 1" dia. Thick wall (Electrical conduits and fittings that are made with K65 virgin PVC resin, impact modifiers, and organic based	50	pcs		

	stabilizer to ensure superior durability, quality, and non-toxicity. Toughness properties: 80 IZOD Impact Joules and 50 MPa that is well beyond the PNS 14: 1983 Standards for PVC electrical conduits.)				
71.	Royal Cord, 14/2 (2 Core x 2.0mm ²), Rated Voltage Temp. 300V/60°C (75meters/roll)	6	roll		
72.	Royal Cord, 12/2 (2 Core x 3.5mm ²), Rated Voltage Temp. 300V/60°C (75meters/roll)	6	roll		
73.	Royal Cord, 12/2 (2 Core x 5.5mm ²), Rated Voltage Temp. 300V/60°C (75meters/roll)	6	roll		
74.	Royal Cord, 10/3 (3 Core x 3.5mm ²), Rated Voltage Temp. 300V/60°C (75meters/roll)	4	roll		
75.	Royal Cord, 10/3 (3 Core x 5.5mm ²), Rated Voltage Temp. 300V/60°C (75meters/roll)	4	roll		
76.	PVC Orange Clamp with concrete nail, 1/2" (100pcs/pack)	20	pack		
77.	PVC Orange Clamp with concrete nail, 3/4" (100pcs/pack)	20	pcs		
78.	PVC Orange Male Adapter with Locknut 1/2" (100pcs/pack)	10	pack		
79.	PVC Orange Male Adapter with Locknut 3/4" (100pcs/pack)	5	pack		
80.	Safety breaker 20A (BOT), with plastic housing 3Phase	30	set		
81.	Safety breaker 30A (BOT), with plastic housing	30	set		
82.	Safety breaker 30A (BOT), with plastic housing 3Phase	30	set		
83.	Single Aluminum Stranded Wire, PE insulated 75C, 600 Volts, AWG #6 (500meters/roll)	4	roll		
84.	Solderless Connector 2 bolts 1,000 mcm	15	set		
85.	Solderless Connector 2 bolts 350 - 500 mcm	10	set		
86.	Solderless Connector 4/0	20	set		
87.	Solderring Lead	2	roll		
88.	Switch 2 gang, Wide Series	100	set		
89.	Switch 3 gang, Wide Series	150	set		
90.	Switch Photo Control 10A	50	pc		
91.	Tape Electrical (Big)	500	pc.		
92.	Tape, rubber	200	pc		
93.	Tox, # 5 w/ screw 100pcs/ box	14	box		
94.	Wire Stranded, 2.0mm ² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 150m /box (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207)	20	box		

	Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test				
95.	Wire Stranded, 3.5mm² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 150m /box (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test	30	box		
96.	Wire Stranded, 5.5mm² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 150m /box (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test	20	box		
97.	Wire Stranded, 8.0mm² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 150m /box (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.)	10	box		

	Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test				
98.	Wire Stranded, 14mm² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 150m /roll (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test	3	roll		
99.	Wire Stranded, 22mm² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 150m /roll (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for emergency overload condition. Voltage for all applications is 600 volts.	2	roll		

	Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test				
100.	Wire Stranded, 50mm² THHN THHN 90°C / THWN 75°C, 600v Building Wire, 300m /reel (Thermoplastic insulated, sheathed with Nylon Oil and Heat Resistant. Flame Retardant.) Application: THHN / THWN building wire Lead Free / Tray Table conductors are primarily used in conduit and cable tray or other recognized raceways for services, feeders, and branch circuits in residential, commercial, or industrial applications as specified in the Philippine Electrical Code. May also be used in class 1 or 2, Division 2 hazardous location according to PEC 1 Art. 5.0. UL approved for use in continuous operation at 75C in wet applications, 90C in dry location, 130C for emergency overload condition. Voltage for all applications is 600 volts. Conductors : Bare, soft annealed copper per ASTM B-3, Class B stranding per ASTM B 8. (PNS 1207) Insulation: Lead Free Flame Retardant PVC per UL Standard 83 Jacket: Clear nylon per UL Standard 83 for THHN or THWN wire Color: Available in black, white, red, yellow, blue, and green. Flame Tests: UL 1685 70,000 BTU/hour flame test	1	roll		
Lot 2 Hardware/Construction Materials					
101.	Bar, Angle 3/16 x 1-1/2"	40	pcs		
102.	Bar, Flat 1/4 x 1-1/2"	20	pcs		
103.	Blind rivets, silver 1/8 x 3/4"	30	box		
104.	Blind rivets, silver 5/32 x 3/4"	30	box		
105.	Blind rivets, black 1/8 x 3/4"	30	box		
106.	Blind rivets, white 1/8 x 3/4"	30	box		
107.	Blind rivets, brown 1/8 x 3/4"	30	box		
108.	Board Acoustic, Fine Fissured 60cm x 60cm x 15mm thk.	300	pc		
109.	Board, Ficem Board 3.5mm x 4' x 8'	150	pcs		
110.	Board, Ficem Board 9mm x 4' x 8'	50	pcs		
111.	Board, Gypsum 9mm x 4' x 8'	200	pcs		
112.	Bolt Dyna 3/8" x 3"	20	set		
113.	Bolt, Barrel # 6"	50	pcs		
114.	CARRYING CHANNEL 12mm x 38mm x 5m x 0.80mmthk.	100	pcs		
115.	Cement , Portland	150	bag		
116.	Circular Mitter Saw Blade heavy duty , Ultra Thin for wood , 200mmØ x 60 tooth	5	pc		

117.	Circular Saw Blade heavy duty , Ultra Thin for wood , 185mmØ x 60 tooth	20	pc		
118.	Contact cement (Rugby)	15	gal.		
119.	Cut off disc 14" dia. ,355x 2.88mm, (5pcs/pack)	12	pack		
120.	Cutting Disk Masonry heavy duty diamond cutter 8"	5	pc		
121.	Cutting Disk Masonry heavy duty diamond cutter, super thin 4"	20	pcs		
122.	Cutting Disk Metal super thin 4" Dia. (100pcs/metal box)	2	metal box		
123.	Deformed Steel Bar 10mm Ø x 6m	80	pcs		
124.	Deformed Steel Bar Plain 12mm Ø x 6m	50	pcs		
125.	Diamond Cup Wheel Heavy Duty For Concrete 4"	20	pcs		
126.	Drawer Guide full extension heavy duty soft closed #12" (2pair/set)	25	set		
127.	Drawer Guide full extension heavy duty soft closed #14" (2pair/set)	25	set		
128.	Drawer Lock with key heavy duty	25	set		
129.	Drill Bit, masonry 1/4" heavy duty	50	pc.		
130.	Drill bit, masonry 3/16", heavy duty	50	pc.		
131.	Drill bit, masonry 1/8", heavy duty	50	pc.		
132.	Drill bit, masonry 5/32", heavy duty	50	pc.		
133.	Drill Bit, metal 1/4" heavy duty stainless	50	pc.		
134.	Drill bit, metal 3/16", heavy duty stainless	50	pc.		
135.	Drill bit, metal 1/8", heavy duty stainless	50	pc.		
136.	Drill Bit, metal 5/32" heavy duty stainless	50	pc.		
137.	G.I C-Purlins 2" x 3" x 1.5mm thk. x 6m	50	pcs		
138.	G.I wire #16 (20kg/roll)	5	roll		
139.	Gravel Crush 3/4" 15cu.mtr / Truckload	2	Truck Load		
140.	Grinding stone 4"dia.	30	pc		
141.	Gun Tacker Staple Wire T50-size 3/8	20	box		
142.	Hacksaw Blade	40	pc		
143.	Heavy Duty Residential Cylindrical lock (Door Knob) Stainless Steel, 3 brass keys included and Exceeds 400,000 cycle test	150	set		
144.	Hinges, Concealed C1 overlap Hydraulic, heavy duty	100	set		
145.	Hinges, Concealed C2 overlap Hydraulic, heavy duty	25	set		
146.	Hinges, Concealed C3 Hydraulic, heavy duty	50	set		
147.	Hinges, Piano 1" x 10"	20	pc		
148.	Jig Saw Blade	8	set		
149.	Lumber, 2" x 2" x 12', S4S KILN DRY	100	pc		
150.	Lumber, 2" x 2" x 8' S4S KILN DRY	30	pc		
151.	Magnetic Catches for cabinet, stainless heavy duty	40	pc		
152.	Metal Clamp, Double 3/4" Ø	150	pc		
153.	Metal Furring 19mm x 50mm x 5m x 0.40mmthk.	300	pc		

154.	Nail, common wire 2"	15	kl.		
155.	Nail, common wire 3"	30	kl.		
156.	Nail, concrete 3"	15	kl.		
157.	Nail, finishing 1"	20	kl.		
158.	Nail, finishing 2"	20	kl.		
159.	Nail,Slim Power concrete 1"	20	kl.		
160.	Nail,Slim Power concrete 2"	20	kl.		
161.	No More Nails Adhesive 300grams	200	tube		
162.	Oil 2T 1/4 ltr	20	pc		
163.	Oil WD-40 1/4 ltr	20			
164.	Plyboard, 3/4" x 4' x 8'	100	pc.		
165.	Plywood, 1/2" x 4' x 8' (Marine)	100	pc		
166.	Plywood, 1/4" x 4' x 8' (Marine)	52	pc		
167.	Plywood, 3/4" x 4' x 8' (Marine)	50	pc.		
168.	Round Bar Plain 10mm Ø x 6m	20	pcs		
169.	S304 Stainless Cabinet Handle H-type ,4" heavy duty	50	pcs		
170.	Sand Paper Disk #100grit 4" dia.	200	pcs		
171.	Sand Paper Disk #180grit 4" dia.	200	pcs		
172.	Sand Paper Disk #400grit 4" dia.	200	pcs		
173.	Sand Paper Waterproof Abrasive #1000grit	150	pcs		
174.	Sand Paper Waterproof Abrasive #120grit, 5m/roll	10	roll		
175.	Sand Paper Waterproof Abrasive #180grit	150	pcs		
176.	Sand Paper Waterproof Abrasive #400grit	150	pcs		
177.	Sand Paper Waterproof Abrasive #600grit	150	pcs		
178.	Screw Black for metal 1 1/2" (500pcs/box)	30	box		
179.	Screw Black for metal 1" (900pcs/box)	30	box		
180.	Screw Black for wood 1" (900pcs/box)	30	box		
181.	Screw Black for wood 1 1/2" (500pcs/box)	30	box		
182.	Silicon Sealant Clear	40	pcs		
183.	Silicon Sealant White	30	pcs		
184.	Silicon Sealant Black	30	pcs		
185.	Straight Brad Gun Nails For Electric Nail Gun F20-20mm(5000pcs/box)	5	box		
186.	Straight Brad Gun Nails For Electric Nail Gun F50-50mm(5000pcs/box)	5	box		
187.	Table Saw Blade heavy duty , Ultra Thin for wood , 254mm Ø x 60 tooth	3	pcs		
188.	Tape, Flashing 2" X 10 mtrs	100	roll		
189.	Tekscrew 1-1/2" for metal (450pcs/box)	2	box		
190.	Tubular G.I, 2" x 4" x1.5mm thk x 6m	20	pcs		
191.	Tubular G.I, 2" x 3" x1.5mm thk x 6m	25	pcs		
192.	Tubular G.I, 2" x 2" x1.5mm thk x 6m	50	pcs		
193.	Tubular G.I, 1" x 2" x1.5mm thk x 6m	30	pcs		
194.	Tubular G.I, 1" x 1" x1.5mm thk x 6m	50	pcs		
195.	Vibro Sand 15cu.mtr / Truckload	3	Truck Load		

196.	Vibro Sand (25kg/bag)	100	bag		
197.	WALL ANGLE 25mm x 25mm x 3m x 0.40mmthk.	100	pcs		
198.	W- Clip	100	pc		
199.	Welded Wire 1/4thk. X 2" x 2"	20	pcs		
200.	Wood edging, 1/4" x 1" x 8'	300	pc.		
201.	Wood glue	15	gal.		
Lot 3 Painting Materials					
202.	Acri-color, Thalo Blue	10	liter		
203.	Acri-color, Thalo Green	10	liter		
204.	Acri-color, Toluidine Red	10	liter		
205.	Acrylic Latex Paint, UC-1 Flat White (primer +Top Coat in 1)	26	tin		
206.	Acrylic Skimcoat SK-3, 5kg/gallon	10	gal.		
207.	Acrylic Thinner	10	gal.		
208.	Acrytex Primer B-1705	30	gal.		
209.	Acrytex Reducer B-1750	15	gal.		
210.	Adjustable plastic Roller handle	6	pc.		
211.	Automotive 2K PolyUrethane Thinner P-7000 (4Liters/gal)	5	gal.		
212.	Automotive Lacquer White B-1300	70	gal		
213.	Baby roller cloth with handle 4"	50	pcs		
214.	Baby roller foam with handle 4"	30	pcs		
215.	Brush paint, 3", yellow handle	70	pcs		
216.	Brush, Paint, 1", yellow handle	42	pc.		
217.	Brush, Paint, 2", yellow handle	70	pc.		
218.	Brush, Paint, 4", yellow handle	46	pc.		
219.	Caution Tape (Non-Adhesive) 2inch x 50m	20	pc.		
220.	Epoxy Primer Gray with Catalyst (B-2200)	15	gal		
221.	Epoxy Primer White with Catalyst (B-2200)	10	gal		
222.	Fiber MeshTape Mesh for paint 50mm x 30M	25	pc		
223.	Flexor (5kg) NEGATIVE SIDE CEMENTITIOUS Waterproofing	10	gal		
224.	Lacquer Flo B-1205	30	gal		
225.	Lacquer Primer Surfacer White B-305	70	gal		
226.	Lacquer Spot Putty B-306	30	gal		
227.	Lacquer Thinner B-50	28	gal.		
228.	MEGACRYL FLAT LATEX Paint , 500 White (Water Based - 100% Acrylic)	15	tin		
229.	Mortaflex Cementitious Waterproof Membrane 16L/tin	10	tin		
230.	Mortaflex Cementitious Waterproof Membrane 4L/gal	30	gal		
231.	Paint Roller, with handle (Cloth) 7"	70	pc.		
232.	Paint Thinner B-0340	20	gal.		
233.	Paint, odorless self-priming and waterproofing low sheen elastomeric paint (Tulle white SR-021)	18	tin		
234.	Paint, Permacoat Gloss Latex White B710	30	Gal		

235.	Paint, Permacoat Semi Gloss Latex White B-715	15	tin		
236.	Paint: Rubberized Floor Red	10	gal		
237.	Paint: Rubberized Reducer	10	gal		
238.	Painters Tape 1"	50	pcs		
239.	Patching compound 20kl per bag	5	bags		
240.	Plastic Paint Tray	20	pcs		
241.	Polyurethane Floor Varnish Topcoat / Sealer with Catalyst 4liter/gallon	10	gal.		
242.	PUTTY MASTER (Joint Filler & Plaster Putty for Fiber Cement Board, Gypsum, Wood and Concrete)	20	gal.		
243.	Rubberized Liquid asphalt waterproofing, 4L/gallon	30	gal		
244.	Skimcoat Superfine White MD-SK1, 20KG/Bag	15	bag		
245.	Tinting Color Lamp Black 1/4 ltr./pc	20	pc		
246.	Tinting Color Raw Shiena 1/4 ltr./pc	20	pc		
247.	Tinting Color Thalo Blue 1/4 ltr./pc	20	pc		
248.	Tinting Color Thalo Green 1/4 ltr./pc	20	pc		
249.	Tinting Color Toluidine red 1/4 ltr./pc	20	pc		
Lot 4 Plumbing Materials					
250.	All Purpose Epoxy A & B 1/4 pint	20	set		
251.	Angle Valve S304 Stainless One way 1/2 x 1/2	50	set		
252.	Angle Valve S304 Stainless Two way 1/2 x 1/2 x 1/2 (double control valve)	100	set		
253.	Automatic Pump Control SPECIFICATION: Rated voltage: 220-240V~50/60Hz Frequency: 50/60Hz Starting pressure: 1.5bar Maximum current: 10A Max power: 1100W Maximum working pressure: 10bar Piping diameter: 1"x1"	10	set		
254.	304SUS Stainless Single Lever Lavatory Faucet Deck Mount	20	pcs		
255.	Ball Valve 1" Brass	10	pc		
256.	Ball Valve 1/2" Brass	20	pc		
257.	Ball Valve 3/4" Brass	20	pc		
258.	Bidet Spray Gun S304 Stainless Steel Heavy Duty	150	set		
259.	Bidet Spray Gun Set, S304 Stainless Steel Heavy Duty with 150cm Hose and Holder	150	set		
260.	Capacitor for Motor Pump 1HP	10	pc		
261.	Capacitor for Motor Pump 2HP	10	pc		
262.	Check valve 1" Spring Type (brass)	23	pc.		
263.	Check valve 1" Swing Type (brass)	40	pc		
264.	Clamp, PVC Blue 1" with Concrete nail (100pcs / pack)	10	pack		
265.	Clamp, PVC Blue 1/2" with Concrete nail (50pcs/pack)	10	pack		
266.	Faucet, brass, heavy duty 1/2" Hose bibb	10	pc.		

267.	Faucet, Heavy Duty Goose Neck S304 Stainless	40	pc		
268.	Fill Valve	30	pc		
269.	Fittings, for Water Closet lever type Heavy Duty	70	set		
270.	Fittings, for water closet Push Button type Double	10	set		
271.	Fittings, for water closet Push Button type Single	10	set		
272.	Flexible hose 1/2" x 1/2" x 18" heavy duty stainless with nut locker	25	pc		
273.	Flexible hose 1/2" x 1/2" x 20" heavy duty stainless with nut locker	70	pc		
274.	Flexible hose 1/2" x 1/2" x 24" heavy duty stainless with nut locker	70	pc		
275.	Flexible P-Trap 1-1/2"	15	set		
276.	Floater Switch, 3 meters	5	pc		
277.	Gate valve 1", PPR	150	pc		
278.	Gate valve 1/2" PPR	150	pc		
279.	Gate valve 3/4" PPR	150	pc		
280.	PPR Ball Valve 1"	50	pc		
281.	PPR Ball Valve 1/2"	50	pc		
282.	PPR Ball Valve 3/4"	50	pc		
283.	PPR Cap 1"	20	pc.		
284.	PPR Cap 1/2"	30	pc.		
285.	PPR Cap 3/4"	15	pc.		
286.	PPR Coupling 1"	70	pc.		
287.	PPR Coupling 1/2"	200	pc.		
288.	PPR Coupling 1-1/4"	200	pc.		
289.	PPR Coupling 3/4"	200	pc.		
290.	PPR Coupling Reducer 1' -1/4 x 1/2"	140	pc.		
291.	PPR Coupling Reducer 1' -1/4 x 3/4"	155	pc.		
292.	PPR Coupling Reducer 1' x 1/2"	110	pc.		
293.	PPR Coupling Reducer 1' x 1-1/4"	200	pc.		
294.	PPR Coupling Reducer 1' x 3/4"	185	pc.		
295.	PPR Coupling Reducer 3/4 x 1/2"	181	pc.		
296.	PPR Elbow 1"	102	pc.		
297.	PPR Elbow 1/2"	200	pc.		
298.	PPR Elbow 1-1/4"	162	pc.		
299.	PPR Elbow 3/4"	200	pc.		
300.	PPR Elbow 3/4" x 45 deg.	190	pc		
301.	PPR Elbow Reducer 1" x 1/2"	100	pc		
302.	PPR Elbow Reducer 1" x 3/4"	100	pc		
303.	PPR Elbow Reducer 3/4" x 1/2"	100	pc		
304.	PPR Elbow with thread 1" Female	184	pc		
305.	PPR Elbow with thread 1" Male	175	pc.		
306.	PPR Elbow with thread 1/2" Female	200	pc		
307.	PPR Elbow with thread 1/2" Male	200	pc.		
308.	PPR Elbow with thread 1-1/4" Female	200	pc.		
309.	PPR Elbow with thread 1-1/4" Male	200	pc.		
310.	PPR Elbow with thread 3/4" Female	190	pc.		

311.	PPR Elbow with thread 3/4" Male	190	pc.		
312.	PPR Female Adaptor 1"	200	pc.		
313.	PPR Female Adaptor 1/2"	200	pc.		
314.	PPR Female Adaptor 1-1/4"	200	pc.		
315.	PPR Female Adaptor 3/4"	200	pc.		
316.	PPR Gate Valve 1-1/4"	200	pc.		
317.	PPR Male Adaptor 1"	200	pc.		
318.	PPR Male Adaptor 1/2" Male	200	pc.		
319.	PPR Male Adaptor 1/2" Female	200	pc.		
320.	PPR Male Adaptor 1-1/4" Male	200	pc.		
321.	PPR Male Adaptor 1-1/4" Female	200	pc.		
322.	PPR Male Adaptor 3/4" Female	200	pc.		
323.	PPR Male Adaptor 3/4" Male	116	pc.		
324.	PPR Pipe 1" x 4mtrs (PN20)	80	pc.		
325.	PPR Pipe 1" x 50mtrs/roll (PN20)	10	roll		
326.	PPR Pipe 1/2" x 100mtrs/roll (PN20)	20	roll		
327.	PPR Pipe 1/2" x 4mtrs (PN20)	80	pc.		
328.	PPR Pipe 1-1/4" x 4mtrs (PN20)	40	pc.		
329.	PPR Pipe 3/4" x 100mtrs/roll (PN20)	20	roll		
330.	PPR Pipe 3/4" x 4mtrs (PN20)	80	pc.		
331.	PPR Plug 1/2"	190	pc.		
332.	PPR Tee 1"	200	pc.		
333.	PPR Tee 1/2"	200	pc.		
334.	PPR Tee 1-1/4"	164	pc.		
335.	PPR Tee 3/4"	200	pc.		
336.	PPR Tee Reducer 1" x 1/2"	100	pc		
337.	PPR Tee Reducer 3/4" x 1/2"	100	pc		
338.	PPR Tee with thread 1/2" Female	200	pc		
339.	PPR Tee with thread 1/2" Male	200	pc.		
340.	PPR Union Pantentee 1"	200	pc.		
341.	PPR Union Pantentee 1/2"	170	pc.		
342.	PPR Union Pantentee 3/4"	169	pc.		
343.	Pressure Gauge 100psi	20	pc		
344.	Pressure Switch Square D, Heavy Duty	20	pc		
345.	P-Trap 1-1/4" Stainless	30	set		
346.	PVC Sanitary Pipe 2" Ø Series 1000	50	pc		
347.	PVC Sanitary Pipe 3" Ø Series 1000	50	pc		
348.	PVC Sanitary Pipe 4" Ø Series 1000	50	pc		
349.	Elastomeric Roofing Sealant	40	ltr		
350.	PVC PIPE cement, 400cc	100	can		
351.	Tape, Teflon 1"	200	pc.		
352.	Tape, Teflon 1/2"	200	pc.		
353.	Tape, Teflon 3/4"	200	pc.		
354.	Watercloset two piece, Close Coupled 665x380x760mm, Soft close seat cover with Complete fittings and accessories	10	set		
355.	Water closet handle lever type Heavy Duty/ Metal	19	set		

356.	Water Float Valve, stainless 1"	15	pcs		
357.	Water Float Valve, stainless 1-1/4"	30	pcs		
358.	Waterproofing Sealant for all surfaces, Elastoseal High Grade, 250ml/pack	20	pack		
359.	Waterstop Wet and Dry sealant, 200ml (A & B)	50	set		
Lot 5 Airconditioning Materials					
360.	ACU Access Valve	25	pcs		
361.	ACU Thermostat	5	pcs		
362.	Copper Tube 1/2" 50ft/roll	2	roll		
363.	Copper Tube 1/4" 50ft/roll	2	roll		
364.	Copper Tube 3/8" 50ft/roll	2	roll		
365.	Copper Tube 5/8" 50ft/roll	2	roll		
366.	Dual Capacitor 40+7 uF	10	pc		
367.	Dual Capacitor 50+7 uF	10	pc		
368.	Dual Capacitor 65+7 uF	10	pc		
369.	Gas, Map PRO (14.10Z399.7G)	20	Tank		
370.	Gauge Manifold for ACU Inverter type heavy Duty	3	set		
371.	Magnetic Contactor 3Phase 40A	6	pc		
372.	Magnetic Contactor Furnas 30A	10	pc		
373.	Map Gas Torch	3	pc		
374.	Motor Compressor 41 LRA	5	pc		
375.	Motor Compressor 49 LRA	5	pc		
376.	Motor Compressor 51 LRA	5	pc		
377.	Motor Compressor 63 LRA	5	pc		
378.	Polyethylene Tape 4" x 45m for ACU	30	roll		
379.	Refrigerant 134-A, (13.6 kls/tank) Refrigerator	10	Tank		
380.	Refrigerant R22 , (13.6 kls/tank) Non Inverter type ACU	10	Tank		
381.	Refrigerant R32, (13.6 kls/tank) FOR SPLIT TYPE acu inveter	10	Tank		
382.	Refrigerant R410-A , (13.6 kls/tank) for Inverter type ACU	10	Tank		
383.	Rubber Insulation 1/2" x 3/8" dia.	20	pc		
384.	Rubber Insulation 1/4" x 3/8" dia.	20	pc		
385.	Rubber Insulation 3/8" x 3/8" dia.	20	pc		
386.	Rubber Insulation 5/8" x 3/8" dia.	20	pc		
387.	Silver Rod	50	pc		
388.	Single Capacitor 5 Uf	20	pc		
389.	Single Capacitor 65 Uf	10	pc		
390.	Single Capacitor 7.5 Uf	13	pc		
Lot 6 Other Tools, Machinery and Equipment					
391.	DIGital Capacitance Meter	3	pc		
392.	Digital Clamp Meter 6000counts Specifications: AC Current 60A/600A/1000A 20 +6 AC Voltage 60mV/600mV/6V/60V/600V	1	pc		

	0 8 +3 750V 1 + DC Voltage 60mV/600mV/6V/60V/600V 0 7 +3 1000V 0 8 + Resistance 600O/6kO/60kO/600kO/6MO 0 8 +3 60MO 1 2 + Capacitance 10nF/100nF/1000nF/10 F/100 F/ 1000 F/10mF/100mF 4 0 + Frequency 0 10KHz 1 5 + Data Hold, Display Backlight, Flash Light				
393.	Ridgid Fiberglass Industrial A-type Ladder, 6 steps (orange,300lbs. capacity)	6	pc		
394.	Stainless Self-Priming Water Jet Pump 2.0HP Motor Specification: • C&U Bearing • Motor with copper winding • Built-In terminal protector for single phase motor • Insulation Class B • Protection Class :IP44 Pump • Cast Iron Body • Brass impeller • Aisi 304 Shaft	6	set		
395.	VACUUM Pump 1.5hp, heavy Duty	1	pc		
396.	V-Belt or Fan Belt 17 x 1250 Li	3	pc		
Aggregate Bid Amount					

[Signature]

[Name of Authorized Signatory]

[Position/Title of Authorized Signatory]