



REQUEST FOR QUOTATION (RFQ) No. 723-2023

Procurement Unit

The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the items stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

The TSU hereinafter referred to as "the Buyer", now requests submission of a price quotation for the subject below:

Purchase Request No.	DESCRIPTION/PARTICULARS	APPROVED BUDGET FOR THE CONTRACT (ABC) inclusive of VAT
2023-10-392 (OTDTC)	I.T. TOOLS, SUPPLIES AND ACCESSORIES	104,000.00
Purpose: Establishment of Aslagan_TBI (Charge to DOST Fund)		

Philgeps Posting: Active Date: 10/15/23
Closing Date: 10/26/23

Category: OFFICE EQUIPMENT & ACCESSORIES
Reference No.: 102 25226

Interested suppliers are required to submit the following documents:

- Valid and Current Mayor's / Business Permit
- Proof of PhilGeps Registration
- Latest Income / Business Tax Return
- Omnibus Sworn Statement
- Brochure, if applicable

TSU Condition of Sale:

1. Delivery Schedule: 30 calendar days from receipt of approved PO/NTP
2. Bid Validity: 120 calendar days from submission of bids
3. Delivery Site: Supply and Property Management Unit, Tarlac State University
(045) 606-8159 / (045) 982-2605
4. Warranty shall be for a period minimum of three (3) months of expendable supplies, or a supplies/equipment after acceptance by the procuring entity of the delivered

Award of contract shall be made to the bidder with the lowest quotation for the subject goods which comply with the minimum technical specifications and other terms and conditions stated herein.

Any alteration, erasures, or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative.

Submission of duly signed Price Quotation Form (Attachment 1) and eligibility documents is not later than 10/20/23 at the Procurement Unit, Admin Building Tarlac State University, Tarlac City.

Open submission may be done manually or through email at tsucanvassing@gmail.com

The penalty for late deliveries is one tenth (1/10) of one (1) percent of the cost of the underperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten (10%) percent of the contract price, the procuring entity shall rescind the contract without prejudice to other courses of action and remedies open to it.

The TSU reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract in accordance with Section 41 of R.A 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.

ELENA MAY T. TEOFILO
Head, Procurement Unit

PRICE QUOTATION

Date: 10/13/2023
 RFQ No. 723-2023
 PR No. 2023-10-392 (OTDTC)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
9	unit	PROJECTOR , Type of display: Poly-silicon TFT active matrix; Resolution: BrightLink 4801: 1024 x 768 pixels (XGA), BrightLink 475W/485Wi: 1280 x 800 pixels (WXGA); Lens: F= 1.80; Focal length: 3.71 mm; Color reproduction: Full color, 16.77 million colors; Brightness: BrightLink 475Wi: Normal Power Consumption mode: White light output 2600 lumens (150 21118 standard), Color light output 2600 lumens, ECO Power Consumption mode: White light output 1800 lumens (ISO 21118 standard); BrightLink 4801: Normal Power Consumption mode: White light output 3000 lumens (ISO 21118 standard), Color light output 3000 lumens, ECO Power Consumption mode: White light output 1800 lumens (ISO 21118 standard); BrightLink 485Wi: Normal Power Consumption mode: White light output 3100 lumens (ISO 21118 standard), Color light output 3100 lumens, ECO Power Consumption mode: White light output 1800 lumens (ISO 21118 standard); Contrast ratio: 3000 to 1 with Auto Iris on and Normal Power Consumption mode; Image size: BrightLink 480i: 55.9 to 93.2 inches (1.42 to 2.37 m), BrightLink 475Wi/485Wi: 60 to 100 inches (1.52 to 2.54 m); Projection distance: 13.7 to 23.5 inches (0.35 to 0.60 m); Projection methods: Front, wall or ceiling-mounted; Optical aspect ratio (width-to-height):	2		

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____
BANK DETAILS:
 Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 10/13/2023
 RFQ No. 723-2023
 PR No. 2023-10-392 (OTDTC)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		BrightLink 480i: 4:3, BrightLink 475Wi/485Wi: 16:10; Focus adjustment: Manual; Zoom adjustment: Digital; Zoom ratio (Tele-to-Wide): 1:1.35; Internal sound system: 16 W monaural; Noise level: 35 dB (Normal Power Consumption mode), 28 dB (ECO Power Consumption mode); Keystone correction angle: Vertical: ± 5°, Horizontal: ± 5°; USB-B port compatibility: USB 1.1 and 2.0 compliant for USB display or external mouse; USB-A port compatibility: One USB 1.1 and 2.0 compliant port for USB device input or EPSON document camera display			
10	unit	PROJECTOR CLICKER , Battery: AAA battery (included); Control Distance: 100m; Optional Light Color: Red; Model Number: PP-927; Page Flapper: Yes; Remote Control: Yes; Type: Laser Pen; Wireless: Yes; Product weight: 0.0310 kg; Package weight: 0.0650 kg; Product Size(L x W x H): 13.80 x 1.80 x 1.50 cm / 5.43 x 0.71 x 0.59 inches	2		
11	unit	WHITE SCREEN , Screen: Pressed rust proof metal coating with roast paint and ABS cap, Pressed rust proof steel plate tripod stable and easy to use, Adjustable screen height and angle of depression setting, 3 points of keystone correction, Matte white material with 1 inch black borders on both sides, Effective viewing angle; Stand-Color: Black; Material: Alloy - ABS; Thread interface: 6mm; Applicable models: all machines suitable for 6mm interface; Telescopic length: 1.6 meters	1		

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____
BANK DETAILS:
 Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 10/13/2023
 RFQ No. 723-2023
 PR No. 2023-10-392 (OTDTC)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
13	unit	CAMERA , Type: 22.3mm x 14.9 mm CMOS Effective Pixels: Approx. 24.20 megapixels Total Pixels: Approx. 25.80 megapixels Aspect Ratio: 3:2 Low-Pas Filter: Built-in/Fixed Sensor Cleaning: EOS integrated cleaning system Colour Filter Type: Primary Colour Via optical viewfinder: 63 zone dual-layer metering sensor with Evaluative, partial, spot (centre only) and centre-weighted available Via Live View on LCD screen: (1)Evaluative metering (315 zones) (2)Partial metering (approx. 6.0 % of LCD screen) 3)Spot metering (approx. 2.6% of LCD screen) (4)Center-weighted average metering	1		

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____



PHILGEP

Philippine Government Electronic Procurement

Central Portal for
Philippine Government
Procurement Opportunities

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 10225226
Procuring Entity TARLAC STATE UNIVERSITY
Title I.T. Tools, Supplies and Accessories
Area of Delivery Tarlac

Solicitation Number: 723-2023	Status	Pending
Trade Agreement: Implementing Rules and Regulations	Associated Components	3
Procurement Mode: Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Bid Supplements	0
Classification: Goods	Document Request List	0
Category: Office Equipment Parts and Accessories	Date Published	15/10/2023
Approved Budget for the Contract: PHP 104,000.00	Last Updated / Time	14/10/2023 09:20 AM
Delivery Period: 30 Day/s	Closing Date / Time	20/10/2023 13:00 PM
Client Agency:		
Contact Person: Tutchie Panlilio Clerk TSU, Romulo Blvd. San Vicente, Tarlac City, Philippines Tarlac Philippines 2300 63-2-092058494963 elenamayteofilo73@gmail.com		

Description

for Establishment of Aslagan

Line Items

Item No.	Product/Service Name	Description	Quantity	UOM	Budget (PHP)
1	PROJECTOR	Type of display: Poly-silicon TFT active matrix; Resolution: BrightLink 4801: 1024 x 768 pixels (XGA), BrightLink 475W/485Wi: 1280 x 800 pixels (WXGA); Lens: F= 1.80; Focal length: 3.71 mm; Color reproduction: Full color, 16.77 million colors; Bright	2	Unit	60,000.00
2	PROJECTOR CLICKER	Battery: AAA battery (included); Control Distance: 100m; Optional Light Color: Red; Model Number: PP-927; Page Flapper: Yes; Remote Control: Yes; Type: Laser Pen; Wireless: Yes; Product weight: 0.0310 kg; Package weight: 0.0650 kg; Product Size(L x	2	Unit	3,000.00
3	WHITE SCREEN	Screen: Pressed rust proof metal coating with roast paint and ABS cap, Pressed rust proof steel plate tripod stable and easy to use, Adjustable screen height and angle of depression setting, 3 points of keystone correction, Matte white material with	1	Unit	1,000.00
4	CAMERA	Type: 22.3mm x 14.9 mm CMOS Effective Pixels: Approx. 24.20 megapixels Total Pixels: Approx. 25.80 megapixels Aspect Ratio: 3:2 Low-Pas Filter: Built-in/Fixed Sensor Cleaning; EOS integrated cleaning system Colour Filter Type: Primary Colour Via opt	1	Unit	40,000.00

Other Information

The bidders must download the attached documents in the associated component section.

Created by Tutchie Panlilio
Date Created 14/10/2023

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2023 DBM Procurement Service. All rights reserved.

[Help](#) | [Contact Us](#) | [Sitemap](#)